016.61 C936

This issue contains the APRIL INDEX

CURRENT LIST of MEDICAL LITERATURE

Vol. 14 April 30, 1948 No. 14-A

FOUNDED 1836

THE ARMY MEDICAL LIBRARY
Washington, D. C.

U. S. GOVERNMENT PRINTING OFFICE 791884

The CURRENT LIST OF MEDICAL LITERATURE is for sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Price: $3.00 per year ($3.75 foreign); 10 cents per single copy. All communications regarding subscriptions should be addressed to the Superintendent of Documents.

Published weekly by the ARMY MEDICAL LIBRARY, 7th Street & Independence Ave., S. W., Washington 25, D. C., as an intraservice publication of the Department of the Army. Lists articles of medical interest contained in current journals received. Subject index provided monthly. Exchange invited.

The subject headings used in the indexes to the CURRENT LIST OF MEDICAL LITERATURE follow, in the main, the form of those established by the QUARTERLY CUMULATIVE INDEX MEDICUS, published by the American Medical Association, Chicago, Illinois.

Because of limitations of space, no cross references are included in the indexes to the CURRENT LIST. Users of these indexes are referred to the QUARTERLY CUMULATIVE INDEX MEDICUS for the necessary cross references to any desired subject.

In order further to conserve space, the subject subdivisions used have been abbreviated wherever practicable. A list of the abbreviations adopted appears below:

abnorm. abnormalities
accomm. & refrac. accommodation and refraction
addict. addiction
admin. & dos. administration and dosage
admin. & org. administration and organization
anat. & histol. anatomy and histology
appar. apparatus
artif. artificial
bact. bacteriology
bibliogr. bibliography
bod. body, bodies
chem. chemistry
comm. communicable
compl. complications
cond. conditions
congen. congenital
defic. deficiency
deform. deformities
degen. degeneration
dent. dental, dentistry
determ. determination
develop. development
diag. diagnosis
dis. diseases
disloc. dislocations
disord. disorders
econ. economic
educ. education
eff. effects
embryol. embryology
epidemiol. & statist. epidemiology and statistics
etiol. & pathogen. etiology and pathogenesis
exam. examination
excis. excision
for. bod. foreign bodies
form. formation
fract. fractures
Gt. Brit. Great Britain
gyn. gynecology
hemorrh. hemorrhage
hered. heredity
hist. history
hosp. hospitals, hospitalization
hyg. hygiene
immun. immunity
in inf. & child. in infants and children
indust. industrial
infarc. infarction
infect. infection, infectious
inflamm. inflammation
inj. injuries, injurious
innerv. innervation
insuff. insufficiency
med. medical, medicine
ment. mental
metab. metabolism
mex. Mexico, mexican
morphol. morphology
mortal. mortality
nerv. nervous
obst. obstetrics
obstruct. obstruction, obstructive
pathol. pathology, pathological
perf. perforation
phys. physical
physiol. physiology, physiologic
pois. poisoning
postop. postoperative
pregn. pregnancy
preop. preoperative
prep. preparation, preparations
preserv. preservation
prev. prevention
prod. production
progn. prognosis
progr. progress
psychiat. psychiatry, psychiatric
psychol. psychological, psychology
pub. public
regen. regeneration
roent. roentgenography
rupt. rupture
san. sanitation
seq. sequels
serv. services
soc. social
standard. standardization
strict. stricture
surg. surgery, surgical
ther. therapy
tox. toxicity
train. training
transm. transmission
transpl. transplantation
traum. traumatic
U. S. United States
wds. wounds

CURRENT LIST OF MEDICAL LITERATURE

SUBJECT INDEX

Vol. 14, Nos. 11-14 (pp. 505-728)

April 30, 1948

ABANO, PIETRO D' (c 1250-c 1316), 534c
ABDERHALDEN'S REACTION, 685a,685f
ABDOMEN, 536e; acute cond. 586b; blood supply 627j; cancer 676t; cysts 627o; dis. 724e; for. bod. 606f; pain 531u,592f,635v,638v,693g,711k; pressure in 559k; surg. 533i,693u,698u,699d; tumors 594n,616u,677d; wds. & inj. 658b,662f, 727d
ABNORMALITIES AND DEFORMITIES, 537f,541r
ABORTION, 576p,576w,687n,696s; diag. 701m; infect. 672d; legislation 686n
ABSCESS, retroperitoneal 721f
ABSORPTION SPECTRA, 567n
ACADÉMIE VÉTÉRINAIRE DE FRANCE, 672e
ACANTHOSIS, nigricans 698t
ACCIDENTS, 547q
ACETALDEHYDE, 679r
ACETATES, 511o,512h
ACETONE, in blood 646i
ACETYLCHOLINE, 649g
ACETYLENE, 620-l
ACID, acrylic 567u; adenylic 511j; adenylpyrophosphoric 566b,684w; alginic 679i; aminoacetic 684f; p-aminobenzoic 542r,679t; chloroacetic 512i; cholalic 517-l; dichlorophenoxyacetic 600j; fatty 563e,567p,567r,679u; formic 654s,654t, 715j; galacturonic 566n; glucuronic 674q; glutamic 512k,566g,623f; hippuric 583i; homogentisic 684q; hyaluronic 508o,584b; hyrdazoic 631c; karanjic 678o; lactic 511o,511q,567s; oleic 513-l; organic 714j; osmic 679c; pantothenic 538s,666d, 684i; phenylthioacetic 567f; propionic 721n; pteroylglutamic 583b; pyruvic 579j; succinic 713m; sulfonic 679m; vanillic 516n
ACID-BASE EQUILIBRIUM, 655c,655v,680d
ACIDOSIS, 583t,632g; etiol. & pathogen. 555e; in inf. & child. 711s
ACNE, in inf. & child. 570i; rosacea 542j
ACRIDIDAE, 572n
ACRIDINE DYES, eff. 631v
ACROCEPHALY, 709d
ACTINOMYCES, 507c,566j
ACTINOMYCOSIS, 592k; cerebral 648w; hepatic 694r
ADDISON'S DISEASE, 586b,654c
ADENINE, 511j
ADENOSIN, 511j
ADENYL COMPOUNDS, 613b
ADHESIONS, visceropleural 725j
ADIE SYNDROME, 650n
ADOLESCENCE, ment. aspects 555s
ADRENAL PREPARATIONS, 508g,675o,675v,712c; eff. 586f,589o,591s,610q,611n,675r,684p,692d
ADRENALS, 583s,652u; abnorm. 583q,644s; dis. 654c; excis. 510b,625m,625v; hemorrh. 638g; tumors 542a,607r,661r,668i,697k; wds. & inj. 662f,721n
ADSORPTION, 680a
AEROSOLS, 528t,631c,631d,631g; ther. 597g
AGAR, 610r
AGE, 531h,535i,633j
AGGLUTININS AND AGGLUTINATION, 522i,534d, 581-l,623j; hemagglutination 524e,674f
AGGRESSION, 718b
AINHUM, 541b
AIR, analysis 631h; conditioning 629w,697s
ALANINE COMPOUNDS, 512t,512v,567g
ALBUMIN, 511j,670n,710m; insuff. 614h
ALBUMINURIA, 528n
ALCHEMY, 578i
ALCMAEON OF CROTON (c 500 B.C.), 520w
ALCOHOL, 531c; eff. 648a
ALCOHOLISM, 706v,720w; diag. 521p
ALCOHOLS, 647r,679s
ALDEHYDES, 620p,679e
ALKALI, eff. 622v
ALKALOIDS, eff. 554m
ALKALOSIS, compl. & seq. 582h; in inf. & child. 711s
ALKENOLS, 655p
N-ALKYLARTERENOLS, 552t
ALKYLBENZENES, 620f
ALLERGY, 641k
ALLIUM, 612j
ALLOXAN, 508e,608b,617-l,618n,684q,704i,713u
ALLOXAZINE, 679o
ALOPECIA, 515k; areata 532-l
ALTITUDE, 612q; high 527m
ALUMINUM AND ALUMINUM COMPOUNDS, 728b
AMBULANCES, 544d
AMEBAE, 705f
AMEBIASIS, 531c,539r,666o; compl. & seq. 531w, 571o; ther. 611f,611g,611h,638f
AMENORRHEA, 626u; ther. 721j; traum. 519n
AMERICAN ACADEMY OF PEDIATRICS, 654f
AMERICAN COUNCIL ON EDUCATION EXAMINATION, 555n
AMERICAN PSYCHIATRIC ASSOCIATION, 602c
AMERICAN SOCIETY OF PLASTIC AND RECONSTRUCTIVE SURGERY, 663c
AMIDINES, 611j
AMIDONE, 567m,714r
AMINES, 679o,714m,714u
AMINO ACIDS, 511g,513g,513h,566e,567g,587a, 625b,679e,691t; eff. 566r,715a,715f; metab. 505t
AMINOACRIDINES, 566v
AMINOPHYLLINE, 527m
AMMONIA AND AMMONIUM COMPOUNDS, 678u; quaternary ammonium compounds 552u
AMNION, 687r
AMPUTATION, 724p
AMPUTATION-STUMPS, 586k,586m
AMYLASE, 511j,566d
AMYLOIDOSIS, 694k,711d
ANALGESIA, caudal 528q
ANALGESICS, in obst. 537v
ANAPHYLAXIS AND ALLERGY, 564c,637d,641o, 710t; etiol. & pathogen. 594t; manifestations 534t; serum & vaccine 530-l,622n,630b,703q; ther. 562-l,632h,637p,641m,641n
ANDROGENS, 513k,518g; eff. 511s,626c,674u; in urine 625r; ther. 540t,690a,695h,727a
ANEMIA, 522s,531t,704j; aplastic 591j,609j,698s; blood in 653h,720u; compl. & seq. 687k; erythroblastic 520f; exper. 551a,555b; hemolytic 641f, 642v; hyperchromic 517b,593b,640q; in pregn. & puerperium 576i; macrocytic 596f; sickle cell 559h; ther. 538q,628n

ANEMIA, PERNICIOUS, 524h; compl. & seq. 611m; diag. 528e; equine 521h; ther. 638d
ANESTHESIA, 541t,542-1,558b,579b,595h,621v,629r, 639g,642h,645d,657d,662s,691i,694s,695j,701v, 703e,704b,726-1; admin. & dos. 530t; appar. 633g,633p; barbital & barbital derivatives 530b, 596d,640j,681q,681r; chloroform 636f; conduction 540q,647f; curare in 526w,681q; endotracheal 596q; ether 558d,558e,655c; exper. 635u; general 590o; hist. 520u; in dent. 681b,681g; in gastrectomy 591j; in gyn. & obst. 537v,587k,694e; in orthopedics 509h; in R. I. 538f; in U. S. 635s, 662a,666b; intravenous 725t; local & regional 582t; nitrous oxide 522v,622b,635t; procaine & procaine compounds 675b; spinal 582t,615w, 660-1,701s; tetracaine 636b; trichlorethylene 585d
ANEURYSM, 724u; aortic 544b,565f,642q; arteriovenous 509c,660e,662m; cardiac 552i,565d; carotid 537e; cerebral 590p,640-1
ANGINA PECTORIS, 632p; ther. 530u,695h
ANGIOKERATOMA, 623a
ANGIOTONIN AND HYPERTENSINOGEN, 508g
ANHYDRASE, 507p
ANIMALS, breeding 671v; dis. 670v; experimentation 628d; feeds & feeding 507s,671r
ANODONTIA, 621d,622d
ANOXIA, 618b
ANTAGONISM, 508v
ANTHALLAN, 632h
ANTHROPOLOGY, 544k
ANTIBIOTICS, 505v,506e,507c,529t,580e,598w, 672h,672w,707g,718r,718s
ANTIGENS AND ANTIBODIES, 573d,579s,618u, 706a,718v; syphilis 536g
ANTIMALARIALS, 533w,567i,611a,678q
ANTIPYRINE, 610p
ANTISEPSIS AND ANTISEPTICS, 580c,553j,612h
ANUS, anat. & histol. 672e,685s; cysts 723p; dis. 624n,723t,723u; fissure 624-1,627u; imperforate 712s,724r
ANXIETY, 522p,538k
AORTA, 551e; abnorm. 641s,724i; calcification 528v; dis. 565q; rupt. 565e,653d; strict. 528v, 539v; syphilis 564u,592u; wds. & inj. 727j
APHASIA, 547k,611m,649a
APHTHAE, 672b,672c
APICECTOMY, 569t
APIUM, 715p
APPARATUS, 601c,601d,648e,648i,663-1,705p, 727m; calibrator 528q
APPENDECTOMY, 542m; compl. & seq. 662k
APPENDICITIS, 517i,596c,639q,640m,685o,719n, 726n; acute 639s,725-1; blood in 663b; compl. & seq. 662d,721t; diag. 576r,577s,721f; hist. 585-1; in inf. & child. 617s
APPENDIX, 523v; abnorm. 596-1; mucocele 536-1; rupt. 721f
APRAXIA, 547c
APYRASE, 566r
ARCTIC RESEARCH LABORATORY, 705c
ARGINASE, 511-1
ARGININE, 513h
ARMS, hemorrh. 530c; ossification 505e; paralysis 654c; tumors 608k; wds. & inj. 557p
ARMY MEDICAL LIBRARY, 639i
ARNOLD-CHIARI DEFORMITY, 721h
ARRHYTHMIA, 510i,510j,511a,533e,565e,565k,565q, 584j,677u,689-1,696-1; auricular fibrillation 508f; ther. 599v
ARSENIC AND ARSENIC COMPOUNDS, 508o,552t; tox. 540d,592e,645d
ARSPHENAMINES, 570j,622k,683j
ARTERIES, bronchial 627r,664g; carotid 605v,638o, 708g; cerebral 643m; inflamm. 523q; ovarian 518f; pulmonary 724i; roent. 527p; scapular 724u; subclavian 509o; wds. & inj. 647e
ARTERIOSCLEROSIS, 507r; coronary 565o,710f
ARTHRITIS, 521n,522q,585u; etiol. & pathogen. 539d; gonorrheal 540b; ther. 529a,588a,638q
ARTHRITIS, RHEUMATOID, 603j,645g; ther. 584s, 638s
ARTHROPLASTY, 557r
ARTHROPODS, 691k
ASCARIASIS, compl. & seq. 590w; in inf. & child. 529c
ASCITES, ther. 637f; ther. 647a
ASCORBIC ACID, 516k,553m,560s,596g,623v,624c, 667a,671m,675n,678e,679a; defic. 532s; eff. 530j, 610t
ASPERGILLOSIS, 632o
ASPHYXIA, 592r; neonatorum 610d,687r,711h
ASSALINI, PAOLO (1759-1840), 662t
ASSOCIATION OF CLINICAL PATHOLOGISTS, 695i
ASTHENIA, 528u
ASTHMA, 651u,688a; etiol. & pathogen. 588e; in inf. & child. 634e,712i; ther. 525i,526s,532u, 615p,638t
ATABRINE, eff. 719a; tox. 697a
ATAXIA, 706i
ATHETOSIS, 653n
ATHLETICS, in New Zealand 720j
ATLAS AND AXIS, disloc. 644a
ATOMIC BOMB, in Hiroshima 650b
ATOMIC ENERGY, 513w,551g,598o; med. applications 577q,597r
ATROPHY, muscular 537f
ATTENTION, 717-1
ATTITUDE, 707b
AUTOPSIES, 520d
AVIATION AND AVIATORS, 527c,544h,561f,561g, 561i,561j,561-1,618d,632f,704p,717o; med. 533a, 561g,561j; physiol. & pathol. eff. 561h,561i,617w, 618b,618e,618f,716p; psychol. & psyiat. aspects 618a; surg. 639c; tests 672o; transportation of wounded & sick 616g; wds. & inj. 561d
AZAINDOLE, 679i
AZOLES, 679j
AZULENE, 679c
BACILLUS ROSSI, fab. 674d
BACITRACIN, 506f,506r,515o; ther. 506q
BACKACHE, 587-1,629a,634m,634n,634o,707h; etiol. & pathogen. 509m
BACTEREMIA, 712u
BACTERIA, 506f,526q,528i,562i,584r,598i,718v; abortus & melitense group 608h,631-1,675k; anaerobic 673r,702d; clostridium 506c,506p, 579p,579q,579u,618-1,719h; cocci 704o; coli 506t,572r,579o,630o; culture 512s,567g,591t, 630-1,674-1; eff. of irradiation on 658r; escherichia 506h; influenza 719e; lactic acid group 566e; metab. 506w; mycobacteria 558t; neisseria 652r; nomenclature 506-1; pathogenic 521g; pleuropneumonia-like organisms 631t; pneumosintes 524n; prodigiosus 601j; proteus group 577m; spores 506v; subtilis 506r,558t, 598w,718m; tumefaciens 579-1; typhoid group 506w,550q,571-1,630o; vibrio 506s
BACTERIOLYSIS, 705a
BACTERIOPHAGE, 526i,579e,579f,579q,718r; nature of 579p; staphylococcic 718t; typhoid group 573o
BACTERIOSTASIS, 570w
BAL, 594w,713u
BALANTIDIASIS, 523r
BANANAS, 626i,626j
BANDAGING, 635o,702o
BARBITAL AND BARBITAL DERIVATIVES, 530b, 554c; tox. 612g,632q,637p

BARIUM, sulphate 566a
BARTHOLIN'S GLANDS, abscess 577m
BASEDOW'S DISEASE, 541t,722t
BATHS, thermal 591f
BEANS, 553q
BEDBUGS, 563h
BEDPAN, 600v
BEDS, 545v
BEE VENOM, 727e
BEETS, 516-1,516m
BEHAVIOR, 588q,613i
BEHCET'S SYNDROME, 640v,709j
BENADRYL, 632h,699p; eff. 583e
BENZACRIDINE, 678q
BENZENE, 620-1; tox. 610t
BENZENE HEXACHLORIDE, 647w
BENZIMIDAZOLE, 648d
BENZINE, 539p
BENZOL, 636c
BENZPYRENE, 676k,676-1,676m
BERYLLIUM, tox. 590h
BESNIER-BOECK-SCHAUMANN DISEASE, 658u
BETATRON, 514g,545k
BIBLIOGRAPHY, 687u,705f
BILE, acids & salts 512o,512p
BILE DUCTS, abnorm. 699k,699r; calculi 699q; dis. 690o; ligature 675p; strict. 663r; surg. 696n
BILIARY TRACT, calculi 686f; dis. 532e,585o,685i; pathol. 586k,586m; surg. 591-1,659v
BILIRUBIN, 675n
BIOLOGIC PRODUCTS, 592p
BIOLOGY, 537b,538b,562b
BIOMETRY, 551r,562u; in Australia 507k; in Denmark 507k
BIOPSIES, 520e,526m,527i,557o; in dent. 568t
BIRDS, 674t
BIRTH, 712k
BIRTH CONTROL, 626f,627p; in England 539f
BISMUTH, eff. 670a
BLADDER, abnorm. 546w,594u; calculi 539w,593w, 669r,693f; cancer 559t,668m,669i,669j,726a; dis. 530g,577u; diverticula 668d; drainage 669c; for. bod. 668c; inflamm. 536m,559q,592f; perf. 728e; physiol. 669e; prolapse 687b; roent. 669o; surg. 728n; tuberculosis 530q,669o,728i; tumors 639-1, 669b
BLANKETS, 708p
BLASTOMYCES, 550v,607s
BLINDNESS, 546s,641b
BLOOD, 554c; alcohol 521p; bactericidal properties 581-1; bilirubin 704n; calcium 525a,582r; cells 524e,589-1,589m,653h,716m; chem. 507u, 536o,554k,554o,586c,589j,684-1; cholesterol 507r,689h; cholinesterase 546e,553c,704h; circulation 538n,583f,599c,675s,716n; coagulation 507q,508m,512n,512o,524i,528m,581-1,612u,628o, 628p,628q,692f,704d,716r,726j,727n; colloids 618q; concentration 648q; count 618t; exam. 545p,636a,653g,702-1,720u; fats & lipoids 552e, 699g; fibrin 520i,562q; form. 643-1,685c; groups 541e,576j,582b; iron 638u,675p; lead 521q; oxygen 638u; phenols 583j; phosphorus 583u,610j; physiol. 600j; plasma 601i; platelets 653u; potassium 582r,654m; proteins 528h,568k,568-1, 568m,582m,582v,583i,583o,587d,589q,608a,612q, 618t,623o,660m,660n,674s,690k,692h,698d,710m; prothrombin 508s,686m; sedimentation 508o, 520o,633n,633o,687g,702f; specific gravity 589q; streptomycin 714n; urea 616r; volume 698p
BLOOD PRESSURE, 696k; determ. 562p,597-1; low 586d; venous 642c
BLOOD PRESSURE, HIGH, 508u,523o,533u,564g, 565r,582n,643c,661r,691o,693c,697v,727i; compl. & seq. 523p,559f,583w; diag. 639k; eff. of drugs on 536u; physiol. 691n; surg. ther. 559e,596u, 601n,636h,664n,697n,727c; ther. 608n,625h,697b, 697t,727j
BLOOD SUGAR, 555f,697g; hyperglycemia 591s; hypoglycemia 530m,530w,592d,608p,713u
BLOOD TRANSFUSION, 520k,543t,635g,643f,653v, 657j,659u,670h,692m,695r; compl. & seq. 520p, 528g,592v,639k,690p; donors 538-1,642f,719m; in animals 672h; in inf. & child. 608s,610d; plasma & serum in 638q,659t; preserved blood in 558f; technic 633j
BLOOD VESSELS, abnorm. 619t; anastomosis 554i; constriction 675g; dis. 540v; permeability 564g,656a; physiol. 555b; surg. 660e; wds. & inj. 690s
BODY, height 531h; weight 531h,556t
BOECK SARCOID, 541n,607v,650j; in inf. & child. 644r
BONES, 704a; atrophy 614u,629b; cancer 527u; cysts 659m; dis. 639h,665g; embryol. 505-1; growth 539-1,606v,658j,674r,704m; marrow 509d,520d,555a,568h,568i,571d,595p,612q,615c, 628r,635r,640s,675e; physiol. 570f,586g; regen. 607-1; syphilis 693v,694f; tumors 590d,648s, 660f; wds. & inj. 547g
BOTANY, 520r,715s; hist. 520r
BOTRYLLOIDES, 599h
BOTULISM, 556-1
BRACHIAL PLEXUS, surg. 660j
BRAIN, 539k,675g; abnorm. 721h; abscess 524n, 607b,707g; anat. 658g; blood supply 546g,707a; chem. 598-1; dis. 649a,665p,707n; echinococcosis 707j; edema 632k; electroencephalography 603a,639u,648d,649c,706t; for. bod. 659k; hemorrh. 519t,590p; hernia 707p; metastasis 595e; pathol. 547k,656t; physiol. 591v,591w,619j, 648o,710p; roent. 643m,659i,721c; surg. 535g, 541k,648s,700e,717k; tumors 537c,541c,546h, 597i,602a,641e,659d,706q; wds. & inj. 547h,547i, 602v,635b,635d,648r,690n,708a,708d,708e,708f, 708g
BREAD, 556v,623m
BREAST, cancer 510c,537q,538f,540t,563s,577n, 585i,594e,615-1,636t,644c,645j,660s,665b,676d, 676s,722c,722p,727a; inflamm. 660s; pathol. 542m; physiol. 519u; surg. 543b,660u; tumors 529m,660o,676e,677h; wds. & inj. 672i
BROMIDE AND BROMINE, eff. 620s
BROMPTON HOSPITAL, 616h
BRONCHI, cancer 526i,529-1,540h,564b,616d,638n, 640d,677a,689g,690f,703f,710e; roent. 658-1; spasm 585j,646a; strict. 666v; tuberculosis 616c; tumors 660a
BRONCHIECTASIS, 591f; compl. & seq. 728e; in soldiers & veterans 615s; ther. 695n
BRONCHOLOGY, 636w
BRONCHOPNEUMONIA, 615e
BRONCHOSCOPY, 587t
BRUCELLA, abortus 631-1
BRUCELLOSIS, 527j,533r,581u,690e,702w; allergy in 536e; ther. 586s,699h
BRUNO, GIORDANO (c. 1548-1600), 521a
BUBO, 719r
BUERGER'S DISEASE, 536k,700f; ther. 698f
BULBOCAPNINE, 546c,546d
BUNIONS, 705s
BUREAU OF NAVAL PERSONNEL, 657a
BURNS, 587n; ther. 532p,660a,644n
BURSA, inflamm. 724t
2,3-BUTANEDIOL, 506b
BUTYL ACETATE, 680h
CABBAGE, 623v
CAFFEINE, eff. 554m,612r
CALCIFEROL, 633-1,633o
CALCIFICATION, 644c,682k; in inf. & child. 616-1

CALCIUM AND CALCIUM COMPOUNDS, 610j,612b, 638-1,658j,682w; eff. 566e,656a; metab. 508r, 685r
CANCER, 530m,533o,538m,540h,564c,608m,611p, 677c,677e,700q; chemother. 533j; chorionic 529o,563v,663c,677c,702i; clinics 690s; compl. & seq. 535c,592-1,723r; diag. 563r,564b,640k, 657f,668p,668q,710d,710e,710g; etiol. & pathogen. 509s,647v; exper. 509u,575j,590t,676g,676h,676i, 676j,676k,676-1,676m; in Austria 510f; in Curaçao 617p; in inf. & child. 687h,722s; metastases 530e,563v,590g,640d; mortal. 535p; multiple 522u; occupational 510f,580j,580k; pain in 523o; pathol. 583q; prev. & control 510e,590k, 634v,657f,657g,676u,676v; radiother. 549v,658m, 659b,722p,722s; roentgenother. 569d; surg. 528p, 664k; ther. 519s,527-1,632i,692k
CANDIDA, albicans 566k
CANNABIS, 553i
CANNULA, 727k
CAPILLARIES, 696k,723e; permeability 534n
CAPITAL PUNISHMENT, 518k,518o
CARBAMATES, 509s
CARBOHYDRATES, in diet 566m; metab. 583-1, 613a
CARBON, radioactive 513m
CARBON DIOXIDE, 506p,511q,567s,584k,640r,715j; eff. 553e,554e
CARBON DISULFIDE, 679j
CARBON MONOXIDE, tox. 535n
CARBON TETRACHLORIDE, 680d; eff. 586d,620s
CARBONATES, 566p
CARBROMAL, 611s
CARDIA, tumors 685k
CARDIAC OUTPUT, 583f,677q
CARDIOSPASM, 595r
CARDIOVASCULAR DISEASES, 629f,641e,702u; diag. 629h,629i; ther. 628w
CARDIOVASCULAR SYSTEM, 541i,645g; dis. 582o, 624b; eff. of drugs on 553b; physiol. 554t; surg. 661p,725p
CARIBOU, 690o
CARMINATIVES, 694q
CARONAMIDE, 644w
CAROTENE, 566c,671m,671n
CAROTID BODY, tumors 607r,660h
CAROTID GLAND, 526e
CAROTID SINUS, 655j,662f,662j,664c,674k
CARTILAGE, transpl. 606e
CASEIN, eff. 626b
CASTRATION, 560r
CATARACT, 650-1,700u; etiol. & pathogen. 650m; extraction 604n,628u,640j,645f,709f
CATHARTICS, 583j
CATHETERS, 728e
CATTLE, dis. 608g,671d; feeds & feeding 671s,671u
CAVERNOUS SINUS, 607a
CECUM, tumors 526h
CELIAC DISEASE, 610f; ther. 632w
CELLS, 574b,591t,598j,674o,674p,704-1; division 555a,575g; eff. of radiation on 568b; morphol. 598p
CELLULOSE, 681s,705e
CEPHALHEMATOMA, 627b
CEREALS, 516n
CEREBELLUM, dis. 602h; tumors 712h; wds. & inj. 660k
CEREBROSPINAL FLUID, 583u,601t,639p,652g; calcium 713r; cells 540b,611j; exam. 535a; potassium 713r
CERUMEN, 605u
CHAGAS' DISEASE, 581w
CHANCRE, 696r
CHANCROID, 581t
CHARACTER, 707v
CHARCOAL, 610o,612j
CHAULMOOGRA OIL, 581s
CHEMICAL ANALYSIS, 631j
CHEMISTRY, 545g,611u,620h,620i,620m
CHEMOTHERAPY, 526o,587d,587v,708q; in inf. & child. 640h
CHENOPODIUM, 553p
CHEST, wds. & inj. 664g
CHICKENPOX, 633i,711v
CHILBLAINS, 633b; ther. 694v
CHILD WELFARE, 556c,623s,623t,637g,708h,708-1; in Ind. 557c; dis. 542d
CHILDREN, dis. 542d; educ. & train. 596w; growth & develop. 527k,556c,584h; hyg. & health 542e, 623t,637g; nerv. & ment. disord. 546t,547d,556a, 597a,653c; nutrition 609f,623s,624c,624d,654o; psychol. 551r,588q,656f,723m
CHINON, 537w
CHLORIDES, 505m; determ. 513e; in blood 536u
CHLORINE AND HYPOCHLORITE DERIVATIVES, 553j,678u
CHLOROBROM, 679-1
di CHLOROETHYL SULFIDE, 607q; determ. 507p
CHLOROETHYLAMINES, 540u,594o,607q,609e,619o, 631q,691n,582f; ther. 573g
CHLOROFORM, 520u
CHLOROMYCETIN, 507e,647v
CHLOROQUINE, 715e
CHLOROSIS, 535c
CHOLECYSTITIS, 664b
CHOLENE, 512e
CHOLERA, 617w,642-1; epidemiol. & statist. 642k, 720v; in Egypt 522d,536m; in Gt. Brit. 642k; ther. 633h; vibrio 727w
CHOLINE AND CHOLINE DERIVATIVES, 539b,714f; eff. 539j,554m,582u
CHOLINESTERASE, 530m,649h,654i,713k
CHOPHYTOL, 540d
CHOREA, 707r,708k
CHOROID, hemorrh. 604v; inflamm. 650g,709-1
CHOWN'S CAPILLARY TUBE METHOD, 653g
CHROMAFFIN SYSTEM, 710j
CHROMOBLASTOMYCOSIS, 515m,550q
CHROMOSOMES, 572r,572u,573f,573q,574a,574g, 575q,626-1,626q,704p
CHYLE, 627o
CHYLOTHORAX, 634u
CICATRIX, 608j
CITRATES, metab. 510-1
CLATHRATE COMPOUNDS, 567e
CLAVICLE, 721p
CLIMACTERIC, 587-1
CLIMATE, 569-1,569m
CLOACA, 668u,669c
CLOTHING, 631i
COCCIDIODOMYCOSIS, 522v,632n
COCKROACHES, 531k
COITUS, 527g
COLCHICINE, 519c,535m,710n,719o; eff. 704d
COLCHINA, 710n
COLD, 716q; eff. 597t,631i,663i,690h,710s
COLITIS, 517s,536o; mucous 531v,712u; ulcerative 531w,571h,571w,587f,593c,724a,724f
COLLAPSE, 636d
COLLOIDS, 513s
COLON, abnorm. 693g; cancer 510d,530f,572c,572f, 642t,723o,724f; dilatation 624p,624q,624r; dis. 723t; roent. 688c; surg. 661a,724f; tumors 724d
COLOR, 544o
COLOR PERCEPTION, 542d,617m
COLORIMETER AND COLORIMETRY, 528p,650t
COLOSTOMY, 529h,545v,601d,660g,701k
COMBUSTION, electrical 694o
COMMUNICABLE DISEASES, 528r; in inf. & child. 609w; prev. 542n,691h; transm. 551-1

COMMUNICATION SYSTEMS, optical 548p,548q
COMPLEMENT, 597n; fixation 678c,718n
CONCEPTS, 717p
CONDYLOMA, ther. 645b
CONFÉRENCE INTERNATIONALE DE MEDICINE, 565k
CONGO RED, 655m
CONGRESSO INTERNAZIONALE DI PSICOLOGIA, 601o
CONJUNCTIVA, tuberculosis 653n
CONJUNCTIVITIS, 592g; in inf. & child. 638g
CONSTIPATION, 572f,639n; ther. 532i,635m
CONTRACTURE, Dupuytren's 525c
CONVALESCENCE, 632e
CONVALLATOXIN, 689r
CONVULSIONS, 558p,711-l; diag. 602u; etiol. & pathogen. 590o,603a; exper. 648q; in inf. & child 541g
COOKING, 624f
COPPER, 672m
CORN, 545c,575b
CORNEA, 685e; surg. 605c,634t,650e; ulcers 605q
CORNELL INDEX, 555-l
CORONARY VESSELS, circulation 564v; dis. 532k; occlusion 591d,677t
CORONERS AND MEDICAL EXAMINERS, 702t
COSMETICS, 533h,600s,648k
COUMARIN, 679d
CRAMPS, 525j,564g
CRANIUM, 629c; dis. 648s,650d; hematoma 538t, 627f; surg. 694u; tuberculosis 660b
CREATINE AND CREATININE, metab. 511s
CRIME AND CRIMINALS, 518t,518u; psychol. & psychiat. aspects 518w
CULTURE, 613-l
CURARE, 522v,526w,713q,714p; ther. 632t
CYANIDES, 566p; tox. 654v
CYANOPRENE, 679p,679q
CYANOSIS, 527d
CYCLAMEN, 638b
CYCLIC COMPOUNDS, 567v
CYCLOHEXANE, 567e,720o
CYSTATHIONINE, 512b
CYSTICERCOSIS, 602a
CYSTINE AND CYSTEINE, 675c; determ. 513f; eff. 631p; in diet 704w
CYTOCHROME, 644a,691v
CYTOSINE, 566b
DDT, 599t,666i
DARIER'S DISEASE, 622t
DEAFNESS, ther. 606e,620a,634j,651m,651q
DECEREBRATION, 553e
DECUBITUS, ther. 663h
DEFICIENCY DISEASES, 557j,623i,623k; in Mexico 609f; ther. 609d,623n
DEGENERATION, 664v
DEGLUTITION, 709s; disord. 535c
DEHYDRATION, 554k
DELINQUENCY, 518-l,595m,656u
DEMENTIA, 601o
DEMENTIA PRAECOX, 619m,649o,706h; etiol. & pathog. 720q; ther. 546-l
DEMODEX, 540o
DENIS, FRANÇOIS, 727q
DENTIFRICES, 621i
DENTISTRY, 514q,514w,569w,681c,682d,682g,682j, 682v; appar. 621o,681h; clinics 569p; econ. 557b,681v; educ. 621n; in U. S. 680u; med. & dent. 569b,569f,569i,593p,621h,621m,681g,683a; naval 597r; nomenclature 570b; technic 683c
DEPRESSION, ther. 533g
DERMATITIS, 523i,584u,623c; exfoliativa 594a, 640b; factitia 692r; ther. 537p,581m,643b,698n; venenata 709n
DERMATOLOGY, 525n,526f,611s,649v; in South America 570s
DERMATOME, 521o
DERMATOMYOSITIS, 537c
DERRIS, 612b
DETERGENTS, 657m
DETONATORS, 524o
DEUTERONS, 620q
DIABETES INSIPIDUS, 587a,698m; ther. 722i
DIABETES MELLITUS, 525q,530i,534p,556s,578s, 583s,597c,614e,635r,636p,640c,646i,695u,699j, 699v,713s,714b; acidosis in 702j; blood in 530w; coma in 586d; compl. & seq. 515r,532u,537h, 537m,540v,559m,596n,625-l,691o,700h; exper. 617-l; eyes in 534n; in inf. & child. 524g,551v, 645-l; mortal. 700b; ther. 536b,624c,700b; tuberculosis & diabetes 586w,699w
DIAGNOSIS, 717d
DIAPHRAGM, eventration 711p; physiol. 722a
DIARRHEA, 654m,724a; diag. 516u,701k; epidemiol. & statist. 720a; in inf. & child. 595f,629j,695a
DIATHERMY, injurious eff. 686k,723c,723e
DIATHESIS, hemorrhagic 520i,701r
DICUMAROL, 523v,582r,594j,628a; eff. 645g
DIET AND DIETETICS, 705e; adequate 684f; deficient 603a,636r
DIGESTIVE SYSTEM, 599j,716m; dis. 536q,571i, 597u,701j,702s
DIGITALIS AND DIGITALIS PREPARATIONS, 565n,584h,713c,714j; eff. 590p,655f
DIMETHYL CARBINOL, 714v
DINITROTOLUENE, 566n
DIPHTHERIA, 582a; bacilli 535k,685b; carriers 535d,588w; compl. 609v; diag. 606a; epidemiol. & statist. 653m; immun. 588j,610k,635w,654g; toxin 579t; toxoid 718u; vaccine 522d
DISABLED, 688n; rehabilitation 555v,629u
DISEASE, 719o; chronic 588v; physical-mental relationships 539c,629e,707u; transmission 643p
DISHWASHING, 657-l
DISINFECTION AND DISINFECTANTS, 618p
DISTOMIASIS, 517r
DIURESIS AND DIURETICS, 583w,634h,698d
DIVERTICULOSIS, 526h,584s,640m,645m
DIVORCE, 518p,572-l; in Conn. 614d
DOGS, dis. 633s,638o
DRAINAGE, apparatus 728m
DREAMS, 603-l
DRESSINGS, 559r,723s
DROSPHILA, 575n,704c
DRUGS, 518v,533h,553s,553u,553v,580c,596v,612d, 713v; addict. 596p; eff. 646c; spasmolytic 714r; ther. 604o,702v
DUCHENNE-TRENDELENBURG SIGN, 509h
DUODENAL TUBE, 606h
DUODENUM, 635e; abnorm. 659a,712f; cancer 608i; diverticula 721f; for. bod. in 590q,615a; surg. 635g,642a; tuberculosis 625b; tumors 517p
DWARFISM, 508b,575r,672p
DYES, 553r,567n,620o
DYSENTERY, 582a,703j; amebic 549a; bacilli 720c, 720t; compl. & seq. 571-l
DYSMENORRHEA, 522a; ther. 699b
DYSPNEA, 594u
DYSTONIA, 602f,602j,665f; musculorum deformans 602f,602g
DYSTROPHY, muscular 524v,700o
E.C. 110, 641r
EAR, abnorm. 564u; cancer 652f,704w; dis. 585f, 629k,651k; external 629m; internal 532p,549h, 563g,606v,607d,607-l,619b,629-l,709v; middle 549n,607g,651o; tumors 606t; tympanic membrane 549q; wds. & inj. 666m
EAR DEFENDER, 646j

EAR PROTECTOR, 601d
ECHINOCOCCOSIS, 536-1,596d
ECLAMPSIA, 576m,576o,641b,686e,687i,687k; ther. 580g,687j
ECOLE DE MÉDECINE ET DE PHARMACIE DE TOURS, 539t
ECONOMICS, MEDICAL, 546u,584q; fees 629q, 662s; plans for med. serv. 521t,654p; types of practice 589a
ECTROMELIA, INFECTIOUS, 562m
ECZEMA, 523i,622j,672g; diag. 535v; etiol. & pathogen. 570-1,570m; ther. 646o,659f
EDEMA, 529u,539n,582h,591s; angioneurotic 535f; etiol. & pathogen. 530k,623k,638w; ther. 594q, 646r
EDUCATION, 704-1; in Sweden 543g
EDUCATION, MEDICAL, 518m,580t,634q,691n; curriculum 543m; teaching 593g
EGGS, 513-1,516h
ELBOW, disloc. 712b
ELECTRICITY, inj. eff. 542f
ELECTROCARDIOGRAPHY, 510m,510n,510v,525w, 526a,526d,554o,556s,564j,564p,565j,565s,619r, 619s,629i,632p,656c,677u,687i,699h,723b
ELECTROENCEPHALOGRAPHY, 603a,639u,643o, 648d,649c,706t,707o
ELECTROLYTES, 516n,582h,647s; metab. 689v
ELECTROMYOGRAPHY, 645s
ELECTRONARCOSIS, 694s,695j
ELECTRONICS, 513v,514c,514e,545j, 704a
ELECTRONS, 620j,620t
ELECTROPHYSIOLOGY, 612m,704b
ELECTROSHOCK, 706w
ELECTROTHERAPY, 592t,596p,603g,613f,613i, 706w
ELEPHANTIASIS, genito-anorectal 646d
EMBOLISM, 543-1,635c,661d,700n; cerebral 588t; gas 565e,672o; pulmonary 532v,576u,588t,689o; ther. 535v,699g
EMBRYO, 674n
EMETINE AND EMETINE COMPOUNDS, 611g
EMIGRATION AND IMMIGRATION, 657r
EMOTIONS, 518q
EMPHYSEMA, mediastinal 522w,632j,689k; pulmonary 666u,677a; subcutaneous 695m; ther. 672o
EMPYEMA, ther. 514-1,725j
ENCEPHALITIS, 510-1,588d,708i,712p; compl. & seq. 602-1,707v,708j; pathol. 711b; postvaccinal 538v; ther. 695a,708h; virus 600g
ENCEPHALITIS, EPIDEMIC, 552b; immun. 630s
ENCEPHALOMYELITIS, 591p,708d; equine 631u, 670w,719b
ENDAMOEBA, histolytica 531k
ENDARTERITIS, obliterans 538r,722b
ENDOCARDITIS, 510u; infect. 507a,510p,522s,540-1, 565d,639w,642q,689t,693m,699d; ther. 645a
ENDOCRINE GLANDS, 543b,716p; dis. 712n,712o
ENDOCRINE THERAPY, 685i
ENDOLYMPHATIC ORGANS, 606v
ENDOMETRIOSIS, 517j,534u,576q,577u,628h,662k, 687f,692s
ENDOMETRIUM, 505f,644i,645w; pathol. 646h,693j
ENDOSCOPY, 603s
ENEMATA, 551m
ENERGY, 569m,578e,716p
ENVIRONMENT, 574e
ENZYMES, 512c,566q,613a,643e,685a; prep. 643f; proteolytic 511r,511s,540p,568i,589l
EOSINOPHILS, 529k,541d,617k,621v,622k
EPHEDRINE AND EPHEDRINE DERIVATIVES, eff. 586f,610q
EPIDERMOLYSIS, bullosa 537m
EPILEPSY, 547b,553o,584i,602o,602p,602q,602r, 602s,602t,603a,697p; compl. & seq. 547j; diag. 639u; exper. 602w,706t; hist. 542w; in inf. & child. 694t; pathol. 602u; ther. 546j,556m,602o; traum. 547a
EPITHELIUM, 554c,579i
EQUILIBRIUM, 549h,603j
ERGOT AND ERGOT PREPARATIONS, eff. 508d, 728w; tox. 699n
ERYSIPELAS, 633q; etiol. & pathogen. 585a
ERYSIPELOID, 560u,560v
ERYTHEMA, 623a; elevatum diutinum 622r; multiforme 541d; nodosum 610e,622-1,683k,694m; ther. 694j
ERYTHREMIA, 537i
ERYTHROBLASTOSIS, 726u
ERYTHROBLASTOSIS, FETAL, 520k,585c,610d; ther. 522f
ERYTHROCYTES, 505w,520f,520n,524e,633n,633o, 654i; morphol. 598k; permeability 554q
ERYTHROMELALGIA, 537i
ESOPHAGUS, abnorm. 517o,654b,695t,696c,726t; atresia 615m; cancer 528p,586-1,696e,696f,696g, 700g; dilatation 685k; dis. 531s; diverticula 689m; obstruction 641s; perf. 571u; strict. 541a, 606m,701d; surg. 564c,664p; ulcers 616-1; varix 617t
ESTERASE, 507n,714f
ESTROGENS, 508t,513j,518a,518c,518d,532j,541w, 554s,555d,598-1,598r,599u,674c,678v,687d,713r; eff. 512d,520d,540g,562n,626c; in urine 625r
ETHER, eff. 554c,573-1; ther. 632b; tox. 524p,707w
ETHICS, MEDICAL, 691,725p
ETHMOID BONE, 651q; inflamm. 629m
ETHMOID SINUS, dis. 549g,549o
ETHYL CARBAMATE, 520m,580m,676k,684q,704c, 719o; eff. 643-1; ther. 721p
ETHYLENE GLYCOL, 655d
di ETHYLSTILBESTROL, 540g
EUGENICS, 572k
EUSTACHIAN TUBE, 606c,651o
ÉVAPORATION, 680j
EVIDENCE, 528a
EVOLUTION, 520t
EXANTHEMS, 712e; in inf. & child. 526k
EXERCISE, therapeutic 525-1,705t
EXOPHTHALMOS, 709m; pulsating 707s
EXPLOSIVES, 545h,599o
EXTRACTIONS, counter-current 511n
EXTREMITIES, abnorm. 519d,573c,622d,644s; artif. 580q; blood supply 542t,555b,564e,589s, 590a,665i; dis. 617q; paralysis 649d,702g; spasm 537d; surg. 692p
EXUDATES AND TRANSUDATES, 534h,597m
EYELIDS, spasm 607j; surg. 548f,709e,709-1; tumors 537-1
EYES, 605q,666e; abnorm. 542c,709-1; accom. & refrac. 548b,549a,604t,605b,650f,650h,651d, 709g; artif. 647h,709c; diagnostic significance 677i; dis. 537e,548j,605g,606i,606j,606k,709j; exam. 604s; foreign bodies 709h; hyg. 605k; muscles 548v,604q; surg. 533e,605a,709c; tension 541d,650c; tuberculosis 534i; tumors 549b, 709k; wds & inj. 548d,548e,604m,604n,650b,650p, 666m,709e
FACE, atrophy 622a; dis. 570r; fractures of bones of 727e; surg. 529g,663k; tumors 607d,663v, 709r
FALLOPIAN TUBES, cancer 563v; roent. 577q, 590f,693m; surg. 575w
FALLOT'S TETROLOGY, 698v
FAMILY, 518v
FASCIA, 663p
FASTING, metab. in 554g
FAT, 696i; excis. 702e; in brain 539k; in diet 571q, 684e
FATIGUE, 703g
FAVUS, 623c,694m

FECES, exam. 618v; fat in 571q,586h,642w
FECUNDITY, 694t
FEDERATION d'OPHTALMOLOGIE, 709o
FEEBLEMINDEDNESS, 518p,543u,548q,649o; in inf. & child. 712-1
FEHLING'S SOLUTION, 611w
FELTY SYNDROME, 565m
FEMUR, fract. 509-1,538g,661i,661k,665j,694a, 703c,723a; tuberculosis 633t
FERMENTATION, bacterial 685b
FERTILIZATION, 574v,575b
FETUS, 525f; death of 690v; inj. 666m; path. 686b
FEVER, 584i; etiol. & pathog. 641g; high 505h, 522s; therapeutic 583o,652b,708k
FIBRIN, 528m
FILARIASIS, epidemiol. & statist. 7o3s; pathol. 559k; ther. 720f
FILMS, monomolecular 544m
FINGERS AND TOES, abnorm. 519e; dis. 543n, 721d; hallux valgus 532-1,665m; surg. 533t, 534s
FISH, 619f; in Guiana 581v; morphol. 505k
FISTULA, 549e; arteriovenous 509c,593c,615p, 660e; biliary 642a; branchial 539i; cholecystoduodenal 696n; choledochoduodenal 517m; gastrojejunocolic 537j; intestinal 557v; jejunal 635h; jejunocolic 646d; labial 514p,550w; pancreatic 727k; salivary 640o; vesicovaginal 686i
FLAJANI-BASEDOW DISEASE, 677-1,677n
FLAVONES, 541q,566k,
FLIES, 562e,572s,626n,626o,705b,705g; eradication 600w,601a,666j
FLOTATION, 680k
FLOUR, agenised 633s,638o
FLUIDS, 554k,586e,630p,648j,684j,708b; chem. 528k
FLUORESCENCE, 544p,620n,721o; microscopy 618t,652u
FLUORIDES, 614a,682s; ther. 556p; tox. 631b
FOOD, 715n; allergy 622n,712a; poisoning 703t, 718t; preserv. 545f; san. 623w,658a,684a
FOOT, blood supply 564i; deform. 557q,593d,663p; dis. 557q,643q; flat 509k,557u,692o; papilloma 592p; surg. 593q; tumors 622r; ulcers 540v, 593d,593e
FORCEPS, 702c
FOREARM, blood supply 661m; fract. 532w,726m
FOREIGN BODIES, 534m; in air & food passages 549m,594g,607h,646-1,646m
FORLANINI, CARLO (1847-1918), 608-1
FORMALDEHYDE, 638k; eff. 653i; tox. 654u
FORMATES, 511o
FOX-FORDYCE DISEASE, 570o
FRACTURES, healing 584f; ther. 589w,647e,660r, 665j,725w
FRAMBESIA, ther. 542i
FRENUM GUIDE, 545r
FRONTAL BONE, dis. 549e; osteomyelitis 607b
FRONTAL SINUS, dis. 549g,549o; osteomyelitis 549e
FROZEN SECTION, 692k
FRUITS, dried 683v
FUNGI, 652p; culture 598m,622v,631o
FURAN DERIVATIVES, 678w
FURUNCULOSIS, 607f
FUSOSPIROCHETOSIS, in child. 607g; ther. 680s
GALACTOSE, 712o
GALLBLADDER, calculi 572a; cancer 698v; dis. 526f,585s,627t,642e; physiol. 571s; roent. 585o, 658h; surg. 664b; tumors 634t
GALTON, SIR FRANCIS (1822-1911), 572-1
GANGLION, cervical 540g; stellate 695q; sympathetic 615p
GANGRENE, etiol. & pathog. 699n; in Africa 584w; in inf. & child. 552g; prev. 508d; ther. 588a, 700f,724p
GARDEN, ALEXANDER (1730-1791), 578f
GAS, pois. 534f,562-1,611k
GAS MASK, 545s
GASSERIAN GANGLION, surg. 694d
GASTRECTOMY, 661q,700t; compl. & seq. 726h; roent. 658q
GASTROENTEROLOGY, 572e,624r; in Buenos Aires 523e; in U. S. 685m
GASTROENTEROSTOMY, technic 664d
GASTROINTESTINAL TRACT, dis. 542d,639a; hemorrh. 531q,702t; motility 582u; perf. 646-1; roent. 571v,615f,646s; secretion 517c; surg. 701i; tumors 642s,663t
GEIGER-MÜLLER COUNTERS, 545m,620r
GENITALS, cancer 563t,676s; dis. 622-1; prolapse 686q; tuberculosis 674u,686d; tumors 645a
GENITOURINARY TRACT, cancer 668o; dis. 616p; roent. 590e; tuberculosis 667v
GERIATRICS, 535h,587u,593m,618c,629d,642s,665o, 689w,695g,702q,708t
GERMICIDES, 551h,680n
GLANDS, 651p; hypertrophy 693t
GLASS, 513r
GLASS DUST, 652t
GLASSES, 605-1,605m; contact 548f,605i
GLAUCOMA, 605e,629o,645f,645o,650q,690u; ther. 650-1,650p,708w
GLOBULIN, 643v,710m,711v
GLUCOSE, 511i,511w,512m,562o,579j,583u,675c, 712n,715d,724-1
GLUCOSIDES, 565n,704e
GLUTATHIONE, 675w; metab. 513g
GLYCINE, 511q,512i,513j,513m; metab. 512g
GLYCOGEN, 563m,585j,592i,624e; in liver & muscle 625-1,710v
GLYCOSIDES, cardiac 610u
GOATS, dis. 608f
GOITER, exper. 554u; heart in 677-1,677n; in Italy 536d; ther. 701u; toxic 690k
GOITER, EXOPHTHALMIC, 524v,662a; ther. 541t, 722j,722t
GOLD AND GOLD COMPOUNDS, 599b
GOLGI APPARATUS, 599h
GONADOTROPINS, 625u,687e; chorionic 518b
GONADS, excis. 510b
GONOCOCCI, 635n,683m; culture 627-1,670t,718p, 718q; infect. 609h
GONORRHEA, diag. 670e,670t; in women 670f; prev. & control 586o; ther. 542c,570m,627-1,696q
GOPHERS, 672t
GOSSYPIUM, 626q
GOUT, 704i
GRADENIGO SYNDROME, 585r
GRAIN ITCH, 522a
GRANULOCYTOPENIA, 565m,628k,652a; ther. 655h, 693e
GRANULOMA, 549t,658r; inguinale 634p
GRAPES, 727q
GRASS, 574q
GROWTH, 511t,563d,579e; exper. studies 599s, 680n,684c,684g
GUANIDINE AND GUANIDINE COMPOUNDS, 608j, 678t
GUANINE, 552v
GUARNIERI, 553k
GUILLAIN-BARRÉ SYNDROME, 700v,706o
GUM, 678p
GUMS, dis. 569b,621e,681e,682b; tuberculosis 667c
GYNECOLOGY, 585j; diag. in 687e; in inf. & child. 686g; radiotherapy in 722v; surg. 642i
HAIR, 619d; color of 573j; dis. 666d; excessive

577h
HALBERSTÄDTER APOTHEKENORDUNG [17 Feb. 1697], 715m
HALLUCINATIONS, 547b,601n,652d
HALLUX VALGUS, 665m
HALOGENS AND HALOGEN COMPOUNDS, 678j
HAND, 656g; edema 663i; fract. 585g; surg. 593r; tumors 628b
HANDWRITING, 601n,613m
HAY FEVER, 641j
HARELIP, 628g
HEAD, tumors 721h; wds. & inj. 518q
HEADACHE, 527s,692t,706p; ther. 641r
HEALTH, in South Africa 532r,701b; resorts 591f
HEARING, 607m; aids 535e,688m; tests 549i,634j, 651n
HEART, 636s,702d,716n; abnorm. 536w,565b,565i, 565q,594k,634f,698v; anat. & histol. 672f; beat 564m; block 565r,582q,677n,689-l,701q; blood supply 510t; catheterization 633f; clinics 526b; dilatation 640c; dis. 511b,526f,528o,529g,534v, 537i,546g,564j,565c,580s,592w,594j,621h,629g, 637n,637q,690g,695v; displacements 526c; eff. of drugs on 526c,526d,655f; electrocardiography 510m,510n,510v,525w,526a,526d,554o,556s,564j, 564p,565j,565s,619r,619s,629i,632p,656c,677u, 687i,699h,723b; hypertrophy 640c,728e; infarc. 510o,517n,583o,584h,632p,636r,658w; injections into 584m; insuff. 583f,583m,583u,645g,675j, 677q,690i,690k; murmurs and sounds 510k,527f, 565a,677w; muscle 510r,700o; pathol. 677n; physiol. 554v,564v,619s; rate 565k,590p,599c, 655j,655u,699h; roent. 565h; surg. 664o,691g, 725p; transpl. 620b; tumors 659a,703m; wds. & inj. 688u,725g,725h,725i,725r
HEAT, 716q; eff. 626k
HEINE-MEDIN DISEASE, 610i
HEMATOCRIT, 697d
HEMATOMA, 559g,686-l
HEMATURIA, 529h,529p,662f,669j; diag. 536h; etiol. & pathogen. 560d
HEMERALOPIA, 643n
HEMIPLEGIA, compl. & seq. 653q
HEMOCHROMATOSIS, 643a
HEMOGLOBIN AND HEMOGLOBIN COMPOUNDS, 562q,596j,703w,719d; determ. 530r,539o,638u, 653f
HEMOGLOBINURIA, 642v
HEMOLYSIS, 520g,559q,573d,579h
HEMOPHILIA, 622f,701r; ther. 643-l
HEMOPOIETIC SYSTEM, 505h,540q,612v; abnorm. 527v; dis. 615g,615h,682i
HEMORRHAGE, 660m: compl. & seq. 530c; etiol. & pathogen. 628u; in inf. & child. 519t; intra-abdominal 633m,653v,703k; postop. 530a,681s; ther. 699m; tonsillar 651p
HEMORRHOIDS, compl. & seq. 723p; ther. 723w
HEMOSIDERIN, 599-l
HEMOSTASIS, 655a,716s
HEMOTHORAX, 662f
HEPARIN, 527v,655b; eff. 654u
HEPATITIS, 595o
HEPATITIS, INFECTIOUS, 532e,544b,571k,588r, 591q,690a,690b,690c; blood in 698h; compl. & seq. 653b
HERBICIDES, 599v
HEREDITY, 519h,572-l,572m,574p,575h,575i,575q, 603c,692w,705a,716j; mechanism 545c,572o,572p, 572v,572v,573a,573b,573c,573e,573f,573h,573i, 573-l,573m,573o,573p,573r,573s,573t,573u,573v, 573w,574b,574d,574e,574f,574g,574i,574j,574k, 574-l,574m,574o,574p,574q,574r,574s,574u,574w, 575a,575d,575f,575k,575-l,575m,575o,612w,626r
HERMAPHRODITISM, 686o,726k
HERNIA, 642e; congen. 663u; diaphragmatic 524r, 594v,615v,624t,660t,661e,685p,689m; duodeno-jejunal 721e; femoral 557v; inguinal 533n,534o, 536p,557u,574s,660s; internal 665g; umbilical 712g
HERPES, zoster 529b,569h,570s,585b,633i,694-l, 694m
HEXACHLOROCYCLOHEXANE, 552w,553a
HIP, deform. 509j; dis. 580f,663n; disloc. 586n, 603q,661n; surg. 557r,587g,688r,726f,726i; tuberculosis 595d
HIRSCHPRUNG'S DISEASE, 624p,624q
HISTAMINE, 517j,542h,641g,713j,714c,714k; eff. 635c,638t,693r,713m; tox. 623q,692b,692c
HISTOLOGY, teaching 543m
HISTOPLASMOSIS, 551h; diag. 616m
HOARSENESS, 590k,711k
HODGKIN'S DISEASE, 542j,602-l,628q,685o,703d, 703m; compl. & seq. 576t,682v,689f; ther. 609e, 619o
HOGS, 671q; dis. 670s; feeds & feeding 671p,671u
HOMEOPATHY, 682j,682t
HOMEOSTASIS, 649-l
HOMOLANTHIONINE, 512b
HOOKE, ROBERT, 578e
HOOKWORM INFECTION, diag. 595r; in New Guinea 531j
HORMONES, 533m,555e,619h,625w,643p; in urine 583a,674j; sex 517v,517w,518f,519m,577d,611p, 626a,627f,693t; ther. 585i,646o,687e
HOSPITALS, 535r,578m,578p,578s,579b,580q,629s, 695b; admin. & org. 538b,578-l,578q,688i; anesthetic service 578r; buildings 578w; equipment & supplies 601e; childrens 587j; community relationships 547s; dent. serv. 622e; econ. 578v; fires 543d; group hosp. ins. 688i; hist. 521b, 688-l; in Finland 531j; in Gt. Brit. 538o,649u; in Ind. 557c; in Mexico 534a; in North Africa 582c; in Puerto Rico 578n; in Switzerland 638m; military 597q; obst. serv. 531d,628f,654i,654n; planning 578n,578u; psychiatric 698k; records 562t,647i,688e,688f,688g; rural 578k; staff 645s, 645u
HUMERUS, wds. & inj. 661h
HUMIDITY, eff. 563j
HUNGARY WATER, 542o
HUNT-MINNESOTA TEST, 656t
HYALURONIDASE, 566h,584b
HYDROCARBONS, 513d,556u,573m,679c,680j,680-l; metab. 685r
HYDROGEN, 513o
HYDROGEN ION CONCENTRATION, 511k,620d, 654w; determ. 652r; eff. 610o,619n,652p
HYDRONEPHROSIS, diag. 645k; etiol. & pathogen. 560f
HYDROPNEUMOTHORAX, 524s,721w
HYGIENE AND SANITATION, 528r,718i; in France 697q; in Mexico 525j; teaching 691f
HYPERVENTILATION, 672o
HYPNOSIS, 603n,706k; ther. 706k
HYPOSPADIAS, 559n,559o,627v
HYPOTHALAMUS, 633c; pathol. 624w
HYPOXIA, 655w,674k
HYSSOP, 727r
HYSTERIA, 543u,601r
ICHTHYOSIS, 707p
IDIOCY, amaurotic 711q
ILIUM, tumors 662g
IMIDAZOLES, tox. 552f
IMMUNITY, 515q,597f,611n,646n
IMPREGNATION, 551j,551k,692v
INDUSTRY AND OCCUPATIONS, 600n; dis. & pois. 523i,531g,580j,580k,584u,590h,692t; food 715n; hyg. 531i,613p,688v; inj. 521v,656k,688r,

688w; med. & surg. 521w,531i,541f,547t,548d; med. serv. plans 521p,521q,521r,521s,521u,521v, 531e,531f
INFANT WELFARE, 585q,629w
INFANTS, 538c; dis. 524a,538w,552f; feeding 585c, 641b; growth & develop. 541s,712b; mortal. 538k 585q,613q,627h,701v; nutrition & nutritional disord. 609i,646o,654d,654e; premature 576f, 577f,609k,654d,654e,654n; psychol. 649p
INFANTS, NEWBORN, 535w,711t; dis. 087g,695a, 695f; hemorrh. in 519t; inj. 552g
INFECTION, 618o; ther. 528h,577k
INFLUENZA, epidemiol. & statist. 540j,637o; vaccine 508p; virus 505w,522e,565v,630k,630n,692a
INFRA-RED RAYS, 533c,647q,723f
INHALATION, appar. 600t
INHIBITION, 524i
INJECTIONS, 523u; intramuscular 604f; intravenous 584m,693-l
INSANITY, presenile 721c; ther. 665r
INSECTICIDES, 562g,581p,648g,648-l,705u,706b; tox. 560s
INSECTS, 643p; bites 607u; repellents 581p
INSTRUMENTS, 600u,601c,648g,648m,694v
INSULIN, 508o; admin. & dos. 566m; eff. 705h, 713t; ther. 603g
INTELLIGENCE, 656u
INTERFEROMETRY, 599p,650t
INTESTINES, cancer 563r,594m; dis. 531t,532a, 603e,642m; disord. 646o; diverticula 637v; inflamm. 532i; mucosa 672f,672g; obstruct. 531t, 534o,543n,552c,585u,590r,590w,594i,628g,633e, 662v,665f,678d,690f,719m,725v; parasites 550t, 685i,691k; perf. 676t,710m; physiol. 610s,642w, 655r,685q,715a,715d; roent. 590c; surg. 633t, 660p,660w,691a; tuberculosis 551d,685w; tumors 532b,625f,662c,662k,663a,664f; wds. & inj. 529h
INTUSSUSCEPTION, 517h,609n,662c,697m; etiol. & pathog. 662d; ther. 587r,634h
IODINE, eff. 621e; metab. 529k; radioactive 508k, 585k
IODINE AND IODINE COMPOUNDS, 679n,698m; eff. 621e; metab. 529k; radioactive 508k,585k; ther. 660o
ION TRANSFER, 641p
IONIZATION, 614w
IONS, 545j,612h,620j,682m
IRIS, abnorm. 604-l,650p; absence 548e; cysts 709g; inflamm. 650i,709j; tumors 650i
IRON, metab. 653f,676a
IRON LUNG, 647n,673u,673w
ISCHIUM, cysts 723p
ISOTONIC SOLUTIONS, 554k
ISOTOPES, 511e,514b,514f,590m,658n,701i
JAUNDICE, 532c,643c,675p; diag. 543a,624i,624j; epidemic 690a,690b,690c; hemolytic 520b,551c, 712d; in inf. & child. 591c; obstructive 624k; of newborn 555e,609q,695f; ther. 532i
JAWS, 569f,680w,681a; anat. & histol. 681p,681u; ankylosis 682-l; cancer 676v; cysts 568w,621r, 682d; deform. 569r,621s; dis. 514r,514s,515f, 619i; disloc. 550m,686b; fract. 514j,703n; necrosis 570c; pathol. 590r; roent. 682n,723g; surg. 515e,663f,680r,682-l; tumors 550e,569c, 676p
JESUS CHRIST, 656i
JOINTS, cancer 527u; dis. 509k,659j,696v; pathol. 627m
JURISPRUDENCE, MEDICAL, 518-l,518s,528a,534s, 589e,639-l,691b; wds. & inj. 518q
KELLER, HELEN ADAMS (1880-), 605m
KELOIDS, ther. 721k
KENNY METHOD, 556o
KERATIN, 601i
KERATITIS, 650m
KERATOSIS, 622w,624n; compl. & seq. 694h; follicularis 622t; gonorrheal 702m
KETONES, 566o,620p,679a,679e
KIDNEYS, abnorm. 654-l,669k; abscess 696m; artif. 583v; blood supply 583g,583i,586h; calculi 584t; cancer 668a,668h; cysts 668c,668d; decapsulation 668g; dis. 522j,522-l,528f,528g,533u, 536a,541k,559v,560f,586b,616s,632g,634r,643g, 722b; excis. 559e,616v; function tests 528b,583r, 643i,689v; hemorrh. 668h; in inf. & child. 535t; innerv. 669n; movable 696o; pain 661e; pelvis 669p; perf. 590q; physiol. 508f,508u,524j,554f, 583h,652w,655b,714a; roent. 668b; rupt. 721j; surg. 669f; tuberculosis 639q,644g,668a,669a; tumors 559j,560e,590k,663u,668i,668k,668-l, 669q,701q; wds. & inj. 560d,665i
KITCHENS, 629v
KNEE, deform. 529q,665-l; tuberculosis 558i; wds. & inj. 688r
KNIFE, 601b
KYPHOSIS, 608s
LABOR, compl. 519p,633f,637r,687k,693k; forceps in 576h,702c; presentation 576a,576h,588m,633h, 693i
LABORATORIES, diag. 681c; hosp. 529k; psychol. 538h
LACRIMAL FLUID, 611v
LACRIMAL ORGANS, 604q; dis. 709k
LACTATION, 686e; disord. 577u; physiol. 625m, 625v
LACTONES, 509b
LAMBLIASIS, 696k
LARYNGITIS, 522e
LARYNGOSCOPY, 659e
LARYNX, cancer 549v,658k,677f,722e; dis. 550k, 651i; diverticula 665a; obstruc. 550e; paralysis 652d,696f,702k; roent. 722h; surg. 549q,550f; tuberculosis 524r,549e,594p,596p,607e,644j; tumors 609m,709t
LEAD, tox. 655q
LEFT AND RIGHT-HANDEDNESS, 575a,654c
LEGISLATION, MEDICAL, 657r
LEGS, deform. 529q; dis. 584s; fract. 522b,647d
LEISHMANIA, 501s,631n,678c,678d
LEISHMANIASIS, 521j,521k,549j,550s,581u; in Algeria 630e; pathol. 520c; ther. 628k,636m
LENS, CRYSTALLINE, abnorm. 650o; absence 548e,709a; displacements 548h; regen. 672n; surg. 605r
LENTICULAR NUCLEUS, degen. 706v
LEPROSY, 581s,582a,696r,696s,700q; colonies 649u; ther. 695g
LEUCINE, 511v
LEUKEMIA, 520k,621t,699m; lymphatic 510b; monocytic 608t,628m,676e; myelogenous 691n,695p; ther. 520-l,525d,615g,615h
LEUKOCYTES, 520h,539e,601t,683p,698e,723e; count 566g,579v,663b,689f,725-l
LEVULOSE, 562o,619n,694t
LIBMAN-SACKS DISEASE, 524-l
LIBRARIES, med. 639i
LICHEN, planus 537n,544c,650m
LIFE, duration 562w,649s,705m
LIGAMENTS, 665j
LIGHT, perception 648r
LIGHTING, 650t
LINDAU'S DISEASE, 650k
LINNAEUS, CAROLUS (1707-1778), 578f
LIPASE, 506m
LIPOIDS, 599k,599-l; antigenic functions 652k, 652-l,652m,652q; metab. 689h
LIPS, cancer 621i; surg. 663f
LITERATURE, 578e; med. 514u

LITOMOSOIDES, carinii 562d
LIVER, 652u; abscess 685-l; anat. & histol. 711c; blood supply 583m,586c,586d; cancer 532g,590t, 689h; chem. 711a; cirrhosis 508h,528r,532e, 532g,582g,637f,646v; dis. 532d,534t,537s,593a, 602h,644b,659r,677g,698c,698h,700q; echinococcosis 665e; excis. 554d; fats and lipoids 600e, 710b,710w; function tests 583n,624k,636n,646w, 666m,686k; hypertrophy 537m; physiol. 554h, 684h; regen. 512-l; roent. 659r; rupt. 530c; syphilis 698g; tumors 712g
LOGARITHMS, 630i
LUNGS, abnorm. 695v; abscess 532m,549p,558p, 615t,616e,627r,666u,722-l; anat. & hist. 608d; calcification 616m; cancer 523u,526i,540h,541j, 587c,590g,594d,611m,677b; collapse 677a; cysts 616d,653p,698f; dis. 525o,582p,595s,697a,704j; echinococcosis 616j; edema 663o; pathol. 541d, 657q; pressure in 689k; roent. 659n,659o,722-l; suppuration 587t; surg. 595e,609f,666w,695n; syphilis 530n; tumors 615q,616n,658r,676j; wds. & inj. 635i
LUPUS, erythematosus 542r,608a,703n; ther. 535-l,596h,636i
LYMPH NODES, dis. 580d,592m,664m,727f; tuberculosis 592h,638i
LYMPHATIC SYSTEM, dis. 684u
LYMPHOCYTES, count 646i
LYMPHOGRANULOMATOSIS, 694n
LYMPHOID TISSUE, tumors 722r
LYMPHOMATOSIS, 694g
LYSINE 513g

MAGNESIUM, 638b; metab. 528k
MALARIA, 558m,581v,582d,585a,596m,635h,688q; immun. 643m; in Algeria 630f; in Czechoslovakia 561w; in Greece 613u; plasmodium 561v, 611a,631r; prev. & control 531m,666i,666q,719r, 720o; tertian 645c,692q; ther. 631v,639p,640a, 700e; therapeutic 666p
MAMMALS, in America 672r; in Canada 672u
MAN, origin 507h
MANOMETER, 524f
MARETIN, 697e
MARRIAGE, 529i
MARTIN DU GARD, ROGER, 597h
MASSAGE, 705v; appar. 545v,601b
MASTECTOMY, technic 664p
MASTOID, anat. & hist. 525g; dis. 624j; surg. 629m
MASTOIDECTOMY, compl. 550e
MASTOIDITIS, 528q,538r,585r,607g,659-l; ther. 549p
MATERIA MEDICA, 612f,727s
MATERNITY, mortal. 563o,575u,686m,701v; welfare 557c
MAXILLARY SINUS, surg. 549e
MAYDL'S OPERATION, 669p
MEAT, preserv. 516i
MEDIASTINUM, 595t; cysts 644q,724p; dis. 527u; roent. 610-l; surg. 662n,724o; tumors 639r
MEDICAL EXPRESSION, 593s
MEDICINE, 521h,540s,595-l,626v,705m; associations 584o; clinical 582q; folklore & superstition 727s; hist. 521c,537w,692m; in Nuremburg 698-l; philosophy of 551i; preventive 597s; soc. aspects 633b,645t; subject headings 600e
MEDULLA OBLONGATA, physiol. 675g
MELANCHOLIA, 524n,528u
MELANIN, determ. 508q
MELENA, 572a,637v
MELIOIDOSIS, 592b
MÉNIÈRE'S DISEASE, 607d,690j
MENINGES, 696u; hemorrh. 527p,527q,591-l,644o; tuberculosis 540b,690n,697k; tumors 602m
MENINGITIS, 522m,535b,550e,581u,607h, compl. & seq. 592i,594r; etiol. & pathogen. 515i; gonorrheal 638t; in inf. & child. 609-l,690g; influenzal 522g; meningococci 653p; otogenous 651w,652b, 652c; pneumococcic 632-l; serous 610a; streptococci 540k; ther. 644h; tuberculous 596a
MENINGOCOCCI, infect. 592g,711p
MENOPAUSE, disord. 690g,726s
MENSTRUATION, 641o; disord. 686m,688a
MENTAL DISEASES, 614j; in soldiers 597u; rehab. 580q; ther. 588-l,592t,629v,700e.
MENTAL HYGIENE, 555t,602c,603c,642-l; clinics 580v
MENTAL TESTS, 555i,555o,555p,600m,600o,613n, 656o,656p,656r,656t,717f,717m,717t
MEPACRINE, 567j,588-l,678j,666r
MERCUROCHROME, 571e
MERCURY, 524o; ther. 543i; arc 548r
MESENTERY, 665f
METABOLISM, 684j; disord. 689v; endocrines & metab. 559m,716p; in old age 689w
METATARSUS, surg. 694d
METEOROLOGY, 541-l
METHACRYLATES, 514k,682-l
METHERGIN, 538u
METHIONINE, 511m; determ. 507u
METHYL, 684o
METHYL ALCOHOL, tox. 524k,526d,654t
METHYL BROMIDE, tox. 580m
METHYL CELLULOSE, 611t
METHYL CHLORIDE, tox. 531m
METHYLAMINE, 675s,675u
METHYLCHOLANTHRENE, 508b,509u,567v
METHYLTHIONINE CHLORIDE, 599a
METRAZOL, 637p
MICE, 519i,672t
MICROCYTHEMIA, 596j
MICRO-ORGANISMS, 515c,568e
MICROSCOPY, appar. 515v,544t,544u; electron 511f,598s,620-l; technic 599m
MICROTOME KNIFE, 705q
MIGRAINE, 696j; pathol. 703o
MIKULICZ'S DISEASE, 537g
MILITARY MEDICINE, 544a,597s; dis. 541o,544d; equipment & supplies 544h; neuropsychiatry 556a surg. 725e; train. 597w
MILK, 655i,657r,671-l; bacteriol. 586q, 657k,703t; evaporated 684a; human 685e; hyg. 595a
MILLARD-GUBLER SYNDROME, 709m
MILO DISEASE, 600h
MIND, 649w; body & mind 539c
MINES AND MINERS, in West Africa 580-l
MIRIN DAJOS, 643r,643s
MITRAL VALVE, dis. 565a; insuff. 653q
MOLECULES, 513o,513p,598u,601h
MONONUCLEOSIS, INFECTIOUS, compl. & seq. 594r
MONSTERS, 523h
MORPHINE, addict. 720w; tox. 698u
MOSCOW TROPICAL INSTITUTE, 588p
MOSQUITOES, 563i,630h,720n; eradication 598g, 599t,697r; in North Africa 630h
MOULAGES, 617h
MOUTH, 723h; cancer 568t,615d,727-l; cysts 549s; dis. 515f,682o,682q,682t; infect. 522h; leukoplakia 681a; rehabilitation 681h, surg. 587h, tuberculosis 515f; tumors 680q
MOVEMENTS, disord. 592b,614s
MUCOUS MEMBRANE, 605c
MUSCARINE, 600i
MUSCLES, 509n; contractions 564g; extensor carpi ulnaris 534s; innerv. 548v; intercostal 595s; levator ani 575t; obliquus externus abdominus 533i; physiol. 530e, 554m,613b,672-l, 674k,715w,716a,716b; scalenus 509o; tumors 615m

MUSIC, 665p
MUSSOLINI, BENITO (1883-1945), 595k
MYANESIN, 582k,583p,592b,592c; eff. 531b
MYASTHENIA, gravis 577v,695h
MYIASIS, vulvar 626u
MYCOSIS, 524j,643q,691h; fungoides 515-l,694i
MYOCARDIUM, 726w
MYOCLONUS, 547c,648v
MYOSITIS, ossificans 658i
NAPHTHALENE, 679f
NAPHTHOQUINONES, 618h,631r,677o
NARCONUMAL, 694e
NARCOTHERAPY, 578t
NARCOTICS, 528a,604c
NASOPHARYNX, cancer 606-l,677j; cysts 549-l; dis. 597g; roent. 549g; tumors 550c,550h,550i, 724q
NAVAL MEDICINE, 597s; dis. 703c
NECK, cysts 662o; tumors 721h; wds. & inj. 652e
NECROSIS, 529m
NEISSERIA, 506a
NEMATODES, 561n,561s,562f,672h
NEOARSPHENAMINE, eff. 522s
NEOSYNEPHRIN, 650-l
NEPHRITIS, compl. & seq. 586h; etiol. & pathog. 560d; glomerular 653a; in inf. & child. 711o; pathol. 586u; surg. ther. 559w; ther. 588j
NERVES, 693d; blocking 594p,697v,698n; facial 629m,690v; glossopharyngeal 664c; ischemia 586i; median 592q; optic 548c; peripheral 623-l, 638e; phrenic 616k,675j,714b; roots 592e,716c, 716d,716g; sensory 648u,649d,649e; spinal 707e; splanchnic 693g; surg. 537j,537k,664j; trigeminal 569h,655u,662p; vagus 522o,571i,571n,571s, 595i,675i; wds. & inj. 530b,547g,726q
NERVOUS SYSTEM, 547e; dis. 525s,536g,602e, 633d; physiol. 505g,512s,563m,599a,606n,623-l, 634k,649i,715w,716b,716c,716d,716f,716g,716-l; tumors 601q
NERVOUS SYSTEM, SYMPATHETIC, 523-l,664u; blocking 542t; dis. 695k; eff. of drugs on 627n; physiol. 523o,546i,612s; surg. 533t,596u,635k, 646g
NEURALGIA, 627w,707c; brachial 592i; cervicobrachial 696b; etiol. & pathog. 657o; facial 693e; glossopharyngeal 564n; ther. 702h; trigeminal 589c,727e
NEURITIS, 708d; multiple 530q,537u,707r,708k; optic 535o,541c,546k
NEUROCHEMISTRY, 589b
NEURODERMATITIS, 622i,706r
NEUROFIBROMATOSIS, 676q; compl. & seq. 608r
NEUROLOGY, 534w; hist. 636d; progr. 648s
NEURONS, 612p,619a,656b
NEUROPSYCHIATRY, in inf. & child. 552-l
NEUROSES AND PSYCHONEUROSES, 534k,597a, 602b,707k,707-l; anxiety 522p; crampus 529q; diag. 555k; exper. 649m; in armed forces personnel 707b; ther. 601v,634q,697o
NEUROSPORA, 506o,545b,599e
NEUROSYPHILIS, ther. 515n
NEUTRONICS, 678g
NEUTRONS, 568e,568f,568i,568-l,568o,568p,648b, 704r
NEWCASTLE DISEASE, 670t; diag. 670q; virus 505w
NICOTINE, 562r; eff. 649j
NICOTINIC ACID, 534d,592d,599e,599f,695k; eff. 594t; ther. 633b; tox. 623q
NIKETHAMIDE, eff. 508a
NITRATES, 673r
NITRILES, 679g,679j
NITRO COMPOUNDS, 592n
NITROGEN, determ. 528-l; metab. 632e,691t
NITROGEN COMPOUNDS, 704g
NITROGEN MUSTARD, 540u,573g,594o,607q,609e, 619o,631q,691n; ther. 582f
NITROSO COMPOUNDS, 580m
NODES, juxta-articular 636p
NOMENCLATURE, 688n
NOSE, abscess 606h; deform. 529g; discharge 594u; dis. 528i,549u,607f,651j; fract. 663-l; hemorrh. 550d,606s; polypi 651u; surg. 652g, 663f; tumors 606a,722i; turbinates 549t
NUCLEINS, 512-l,512u,704v
NUCLEONICS, hist. 578f
NUCLEOTIDES, 684t
NUER, 598e
NURSES AND NURSING, 543g,547t,547u,579b,603t, 603v,603w,604a,604b,604e,604f,604h,629s; educ. 547v,603u,603v,604g,629t,708r; in Greece 708r; in Gt. Brit. 603t; in old age 592n; public health 547p,547t,547u,547w,654h,657g
NUTRITION, 511g,527t,530j,536a,542p,546o,547q, 569k,608u,630m; disord. 529u,556k,591t,625a, 633d,635p,635r,638i,707p; exper. studies 555b, 600a; in China 623u; in Germany 623v; in Singapore 523w; parenteral 589u
NYSTAGMUS, 549v,606i,606j,606k,651h
OBESITY, hered. 555d
OBSTETRICS, 533j,637-l
OCHRONOSIS, 542p
OCTIN, tox. 714n
OCULISTS, 709o
OLEOMARGARINE, 527k
OMENTUM, tumors 532s
ONCHOCERCIASIS, ther. 534b
OPHTHALMIA, neonatorum 644v,647b; sympathetic 604r; ther. 604o
OPHTHALMOLOGY, 591i,604u,629n,651b; appar. 605f,605-l; in Canada 650f; in China 525h; in Eire 604m; in U. S. 590u; progr. 634t
OPTICIANS, 709o
OPTICS, 605i,650s
OPTOMETRY, 651c
ORANGES, 516g
ORBIT, dis. 550b; tumors 650g
ORGANIC SUBSTANCES, 620q,620r
ORGANIZATION, 563a
ORNITHODORUS, 561u
ORTHODONTICS, 514k
ORTHOPEDICS, 509h,705w; in Philippine Islands 663d; in Sweden 543g
ORTHOPTICS, 691k
OSCILLOMETRY, 597-l
OSERETSKY TEST, bibliogr. 656s
OSMOSIS AND PERMEABILITY, 723f
OSPEDALE DI S. GIUSTO, 521b
OSSIFICATION, 505e,711f
OSTEITIS, fibrosa 532-l,550e
OSTEOARTHRITIS, 533b,726i
OSTEOARTHROPATHY, 537i
OSTEOCHONDRITIS, 659j
OSTEOCLASTS, 674r
OSTEOMALACIA, 696u
OSTEOMYELITIS, 703q; ther. 661f,703d,726o
OSTEOPATHY, 557o,629j
OTITIS MEDIA, 590r,606t,607m; compl. & seq. 585r,651i,652a; ther. 651r
OTOLOGY, 651-l; in Calif. 634s
OTORHINOLARYNGOLOGY, 628u,629n,645e,701m; appar. 528i
OTOSCLEROSIS, compl. & seq. 652c; ther. 603r, 651m,651o,698a,726m
OVA, 576b
OVARY, cancer 534u,627m; cysts 523e,576q,640n, hormones 508m,509v,530d,591r,692g; insuff. 576p,577p; irradiation 509r; physiol. 510c; tumors 529w,551b,576t,705m
OVULATION, 626b

OXIDASE AND PEROXIDASE, 507b,512a,512j,566i, 685d
OXYGEN, 514e,647t; consumption 505r,583m; defic. 530u,674h,674k,674w,716p; ther. 604d
OXYURIASIS, 636u,646a
OYSTERS, 600a,672i
OZENA, 549r,549u
PAIN, 601r,649f,664u; ther. 593c
PALATE, cleft 550-l,550n,681e; tumors 607c
PALEODONTOLOGY, 620w,621n
PAMAQUINE NAPHTHOATE, 631v
PANCREAS, 571m; anat. & histol. 617p; cancer 571o,661s; cysts 517p,626w,701p; dis. 532f; extracts 600e; islands of Langerhans 525q,554g, 608b,625n; physiol. 638w; prep. 608q; rupt. 530c; secretion 618w,704f; surg. 664i,699a
PANCREATITIS, 517b,724t; compl. & seq. 643n; etiol. & pathogen. 523p; hist. 585-l
PANNICULITIS, 515r
PANTOCAINE, tox. 636b
PAPANICOLAOU METHOD, 668p
PARACODIN, 609a
PARALOSA RHODANENSIS ROULE, 675h
PARALYSIS, 670n,707q; brachial 530b; cerebral 614a,614d; cranial 546f; etiol. & pathogen. 632m; facial 521t,550a,621q,645f,663g,675a,694-l,694m, 709m; phrenic 537h,616k; rehabilitation 581a, 581b; spastic 614p
PARALYSIS, GENERAL, ther. 666p
PARAMECIUM, 572q,574v,674b
PARAMYOTONIA, 708c
PARASITES, 561n,562c,720u
PARATHYROID, dis. 668w
PARATYPHUS, epidemiol. & statist. 532k
PARIETARIA, officinalis 725d
PARKINSONISM, 649-l,696d
PAROTITIS, immun. 562n; prev. 604d; suppurative 609t
PARPANIT, 713g,713n
PARTERGIN, 687k
PARTICLES, size 598t
PASTEUR, LOUIS (1822-1895) 695r
PATCH TEST, 535v
PATELLA, 703h; dis. 523m,685u; disloc. 665k; tuberculosis 724w
PATHOLOGY, in Sweden 543f
PATIENTS, 706e
PECTIN, 513s
PEDIATRICS, 534w,551s; in U. S. 541v; progr. 637m
PELVIS, anat. & histol. 627b,708r; cancer 576-l, 727c; measurement 525f,615i; roent. 627m; surg. 686p; tumors 677d,677g
PEMPHIGUS, 603s,616v; vegetans 646e
PENICILLIN, 505r,507o,521e,522n,528w,531-l, 532n,579j,579k,586q,588-l,604m,605e,647b,654w, 655o,675o,688a,701e,702h,705i,705r,715m,719i; admin. & dos. 542k,580e,596n,632j,634d,634g, 644v,689m; determ. 674m,704s; eff. 552a,582i, 583q,622a,633u,635n,670a,695e; ther. 506q,522h, 540b,542c,604n,644w,726j; tox. 570j,709n,710k
PENIS, cancer 676c; dis. 570q,668s; surg. 559o
2,4-PENTANEDIONE, 567s
PENTOSE, 684t
PENTOTHAL SODIUM, 596d
PEPSIN, 608q,715q
PEPTIC ULCER, 517d,517q,533n,534q,538t,552p, 585d,587o,593a,595d,595f,597f,616-l,635f,637a, 700i,703g,710m,710r,724k,726b; cancer & peptic ulcer 571g; compl. & seq. 595i,637d,646d; diag. 517g; etiol. & pathogen. 516r,525t,531p,603m; exper. 508c; hemorrh. 664b; in inf. & child. 624s,640o; in old age 637a,664i; pain in 572b, perf. 659q,664e,690m,702j; prev. 625g; roent. 595g,659m,700j; surg. ther. 517f,517g,543k, 557w,571i,572d,572g,595h,636g,637b,637c658q, 661t,664d,695d,700k; ther. 517j,523k,527r,528t, 590j,594v,603-l,625h
PEPTIDASE, 512s,685c
PEPTONE, determ. 715q
PERCEPTION, 707u,717j
PERIARTERITIS, nodosa 559g,610b,669f
PERIARTHRITIS, 721s
PERCEPTION, 707u,717j
PERIARTHRITIS, 721s; nodosa 559g,610b,669f
PERICARDITIS, 584g,637q; suppurative 523s; with effusion 564s
PERICARDIUM, cysts 644q; wds & inj. 725h,725i
PERINEPHRITIS, 634r; ther. 694w
PERIODONTIUM, dis. 570a
PERIPHLEBITIS, 650d
PERITONEUM, irrigation 528f,528g,590n,654-l; surg. 628t; tuberculosis 633o; tumors 725a
PERITONITIS, 640n,695a,699c; ther. 726k
PEROXIDES, 545q
PERSONALITY, 588v,603c,603-l,613k,613-l; tests 555o,555r,656p,656q,717j,717m,717n,717t
PERSONNEL, 579a
PERTHES'S APPARATUS, 725s
PETEOSTHOR, 684v
PEYRONIE'S DISEASE, 668s
PHAGOCYTES AND PHAGOCYTOSIS, 617i
PHARMACOLOGY, 610u,716r; in Germany 715-l
PHARMACY, appar. 545n; hist. 715m
PHARYNX, cancer 615d,634u; diverticula 665a; tuberculosis 524r; tumors 638k,652f
PHENANTHRIDINIUM COMPOUNDS, 679h
PHENOLS, 525u,601i,678p
PHENYL MUSTARD OIL, 519h
PHENYLTHIOCARBAMIDE, 519h
PHLEBITIS, 683k,694i,701t; compl. & seq. 661d
PHLEBOTOMUS, 521i,630g
PHOBIAS, 556d
PHORIAS, 656m
PHOSGENE, 562-l
PHOSPHATASE, 506m,554m,568g,617g,653i,685e, 704o,705o; determ.704g
PHOSPHATES, 672m
PHOSPHORUS AND PHOSPHORUS COMPOUNDS, 553d,554k,613a,697g,710e,713e,713p; determ. 705f; eff. 553c,555f,612n,649h,650o; metab. 508r; ther. 695h
PHOTOELASTICITY, 513q,544n
PHOTOGRAPHY, 721o; appar. 703r
PHYSICAL EDUCATION AND TRAINING, 551s, 720i; in Chile 556h
PHYSICAL EFFICIENCY, 637e
PHYSICAL EXAMINATION, 603h; of inf. & child. 542e
PHYSICAL MEDICINE, 541g,647-l,665t,665v,665w; teaching 665q
PHYSICIANS, 587m,595-l,632u,634v,691-l; relation to patient 639i,665u
PHYSIOGNOMY, 652g
PHYSIOLOGY, 543h,716k
PICKLES, 683w
PIGMENTATION, 623b
PIGMENTS, 620o
PILLS, 553v
PILOCARPINE, eff. 709u
PILONIDAL SINUS, 690w
PINEAPPLES, 519c
PISCIDIA ERYTHRINA, 655k
PITUITARY BODY, 535m,617r,633c,673c,713j,726w; dis. 514r,514s,617e; irradiation 627e; secretion 583a; tumors 548g,707d
PITUITARY PREPARATIONS, 714e,714g

PITYRIASIS, rubra pilaris 669-1
PLACENTA, 686m; permeability 576d; praevia 543o,584u,723-1; tumors 519q
PLANTS, 612b; extracts 516o; in USSR 588-1; pathol. 544r,581q; physiol. 525m
PLATYHELMINTHES, 637-1
PLETHYSMOGRAPHY, 713c
PLEURA, adhesions 667b; cancer 534j; tuberculosis 588d
PLEURISY, 584i,637q; etiol. & pathogen. 581g; ther. 726b; with effusion 564s
PLUMBING, 545o,545r,600u,601e,648h,658c
PNEUMOCOCCI, infect. 524u,715f; types 597j
PNEUMOCONIOSIS, 524t,525o,636a,657q; etiol. & pathogen. 631f,722c; prev. 581c
PNEUMONIA, 535f; etiol. & pathogen. 652t; ther. 582-1,582o,634b
PNEUMOPERITONEUM, 616f,616k,695n
PNEUMOPYOPERICARDIUM, 615t
PNEUMOTHORAX, 592m,615r,632j,639v,662j; diag. 659c; extrapleural 558s; roent. 722g; ther. 530s, 725q
PNEUMOTHORAX, ARTIFICIAL, 530v,543p; appar. 636h
POIKILODERMA, 693w; diag. 537o
POISONS AND POISONING, 542o,692i; metallic 571a; ther. 588c
POLARIZATION, 548s
POLIKLINIK SCHWERIN, 556o
POLIOMYELITIS, 542w,609b,635j,643v,654q,690q, 728v; blood in 608j; compl. & seq. 539h,673u; diag. 610i; epidemiol. & statist. 530p,552c,594i, 653s,654p; in inf. & child. 609m; in Gt. Brit. 524c; pathol. 719p; ther. 551q,556o,646b,646c; virus 631s
POLLEN, 641k
POLYCYTHEMIA, 693a
POLYDACTYLIA, 573c
POLYMERS, 598p,681d
POLYMETHYLOL COMPOUNDS, 567-1
POLYMYXIN, 506j
POPULATION, 507j,522j,572k
PORPHYRIN AND PORPHYRIN COMPOUNDS, 601j, 719o
PORTAL VEIN, 556m,700n; pathol. 694c
POSTURE, 614o
POTASSIUM, chloride 513r,554j; eff. 654m,675r
POTATOES, 598n
POTT'S DISEASE, 551s
POULTRY, 626n; dis. 671b
PREGNANCY, 551m,591s,641o,649s,685a,686-1; age in 519v; blood in 519-1,575u; breasts in 519v; compl. 519o,519s,519w,550g,576j,576t, 576v,594s,596t,638g,639h,685v,686b,686f,686-1, 701c; diet in 694a; ectopic 519r,519v,527h,576a, 576f,577u,627i,627k,661w,686a,690-1,693m; exam. in 708u; eyes in 687m; heart in 582q; hemorrh. 576g,585p,633m,646q; hyg. 578w,614e; liver in 686k; metab. 655v; physiol. 585c,626g, 633h; toxemia 627g,687q
PRESCRIPTIONS AND PRESCRIBING, 586n
PRIAPISM, 559h
PRICE-JONES CURVE, 653h
PRISONS AND PRISONERS, 694u,708m
PROBES, 545o,545w
PROMIN, 611e,641u
PROPYLTHIOURACIL, 584g,585o
PROSTATE, 559p; cancer 532j,559m,592p,668o, 690h,702g; hypertrophy 728n; surg. 537b,559r, 593w,618s,664k,668n; tuberculosis 559h; tumors 560a
PROSTATECTOMY, 560a,638s,669d; compl. & seq. 559q; retropubic 535d,559d,559-1,639s,728k; suprapubic 728j
PROSTHESES, 604c
PROSTITUTION, 560h,560m,560n,560o,614-1,670h
PROTEINS, 512w,513a,513t,544q,566h,569n,601g, 637i; defic. 630m; eff. 554d; equilibrium 689e; in diet 684c,684h; metab. 512f,512g,684w,691q, 691s; prep. 643f; staining 544w; ther. 609d, 625h,695p
PROTEUS, 653j
PROTHROMBIN, 527n,566a,618s
PROTOPLASM, 716i,
PROTOZOA, 505o,505u,551v
PROVIDENCE MEDICAL ASSOCIATION, 538d
PRURIGO, 515q
PRURITUS, 597k,694o; anal 636k,687w,723v; vulvar 577s,622v,636k
PSEUDOARTHROSIS, ther. 661u,726d
PSITTACOSIS, virus 507t
PSYCHIATRY, 535t,640f; hist. 601m; progr. 648s; soc. 555v,555w
PSYCHOANALYSIS, 603f,682-1,706-1
PSYCHOLOGY, 544h,603h,657b,716s,718b,718c; exper. 546p; in Sweden 543h
PSYCHOSOMATIC MEDICINE, 603n,706e
PSYCHOTHERAPY, 538-1,539a,541k,546r,555m, 603d,603e,636u,706p,716v,716w,717a,717b,717c; technic 672p
PTERINS, 511u
PUBERTY, precocious 608r,687c
PUBIC BONE, fract. 540f,725a
PUBLIC HEALTH, 543s,562u,614n,619k,658a,702b, 718i; admin. & org. 547q,657i; centers 557b; cooperation 532q,657v; econ. 557b; hist. 521d; in Canada 718k; in Coventry 658a; in Malaya 588o; in Providence City 538e; in Soviet Azerbaijan 588o; in U. S. 580n,629c,657i; officers 718j
PUERPERAL INFECTION, 577-1,697j; pathol. 687p; ther. 576v,577k,687n,687o
PUERPERIUM, blood in 577m; hemorrh. 533f
PULSE, rate 554v
PUNARNAVA, 655n
PURPURA, 644k; haemorrhagica 520p,522r,640i; in inf. & child. 653r
PYELOGRAPHY, 661e
PYELONEPHRITIS, 696o
PYEMIA, pathol. 687p
PYGOSTEUS, 563-1
PYLORUS, hypertrophy & stenosis 529r,594a,634p
PYONEPHROSIS, 616v
PYRAMIDAL TRACT, dis. 602j,652h; disord. 601u
PYRETHRUM, 612b
PYRIBENZAMINE, 523c,632h,723v
PYRIDINE AND PYRIDINE COMPOUNDS, 655-1, 655m,674w
PYRIDOACRIDINES, 678q
PYRIMIDINES, 598q,631a
PYROGENS, 715p
PYRORRHEA ALVEOLARIS, ther. 527a
PYRROLINE COMPOUNDS, 679g
QUINACRINE, 715e
QUINIDINE, 582k
QUININE, 645c,697e; admin. & dos. 632b; eff. 631v, 709w; tox. 666m
QUINOLINE AND QUINOLINE DERIVATIVES, 567h, 678-1
RABIES, immun. & vaccine ther. 579n,630c,719j
RADIATIONS, 545e,548u,703v; bibliogr. 514g; eff. 513u,568g,568h,568j,568n,568q,573f,573r,615d, 643h,659o,716s; inj. eff. 694h
RADIOACTIVITY, 511e,514a,528d,545-1,568b,568c, 620c,632i,658n,701i,705p,717v,718d,721-1,722a, 723a; eff. 568d
RADIOAUTOGRAPHY, 721m

RADIOLOGY, 614v,615j,659d,659q; in New Guinea 723-l; technicians 578q
RADIOTHERAPY, 615c,658k,659g,659h,661g,677e
RADIUM, ther. 651j,722v,726a
RAMAN EFFECT, 548r,548s
RAPESEED OIL, 684d
RAT BITE FEVER, 521i
RATS, 519e,672s,672v; extermination 657s
RAYNAUD'S DISEASE, 694r
REACTION TIME, 717-l
RECEPTORS, 613e,613h
RECKLINGHAUSEN'S DISEASE, compl. & seq. 608r
RECORDS, med. 527v; surg. 537p
RECRUITS, 543t,597u
RECTUM, abnorm. 724r; abscess 724g; anat. & histol. 625g,685s; cancer 523a,523b,527i,572c, 588g,624s,624u,677d,699d,724f; dis. 624n,692t, 698k,723t,723u; exam. 645i,724e; hemorrh. 533m; perf. 723q; prolapse 628e,724c; roent. 724b; surg. 517k,664h,723w,724f; tumors 573k, 624o,724c,724d; wds. & inj. 727k
RED CROSS, 604i
REFLEX, plantar 689e; pupillary 650n; spinal 612n
REFRIGERATION, 545f
REFUGEES, 708-l,708m
REGRESSION, 706k
REHABILITATION, 541f,556d,580q,580s,581a,581b, 604a,604b,665q,688m
REICH, WILHELM, 706m
REITER'S DISEASE, 525u,641h
RELAPSING FEVER, epidemiol. & statist. 632u; in Persia 523t; ther. 697b
RELIGION, 555t
REPATRIATION GENERAL HOSPITAL, NEW SOUTH WALES, 578v
REPRODUCTION, 505f,670j,670k; exper. studies 684g; physiol. 716k
RESEARCH, 705d; in Germany 598h; in Gt. Brit. 598n; in U. S. 620c
RESINS, 507q,620f,683g
RESPIRATION, 554v,618d,675s,716o; artif. 600t, 642i,647n,691b; disord. 700d; hyperpnea 618c, 713-l; physiol. 529v,554p,554r,564n,565s,703h; sounds 711k
RESPIRATORS, 545u,705v
RESPIRATORY TRACT, cancer 667q; dis. 538s, 564s,581j,596i,599d,691o,697r
RESUSCITATION, 702d
RETICULOENDOTHELIAL SYSTEM, 628k,728d; allergy 607v; dis. 534d,694o; hyperplasia 710n
RETINA, 605e; abnorm. 709i; blood supply 605a, 605r,629-l; detached 605d,644t,709a,709b; physiol. 604p,649h; rupt. 535q; tumors 680q
RETINOCHOROIDITIS, 650n
Rh FACTOR, 528j,541e,544n,577t,592v,598u,638n, 639k,653g,659u,674e,687g,711t
RHEUMATIC FEVER, 564k,564-l,647-l,696v; cardiac compl. 510q; etiol. & pathogen. 584b; in inf. & child. 712v; ther. 527r
RHEUMATISM, 522q,526r,565m,588i; blood in 697o; etiol. & pathogen. 539n; in Gt. Brit. 533p; in pregn. 519s; ther. 614i,666d
RHINITIS, atrophic 549r,549u
RHINOPHYMA, 542i
RIBOFLAVIN, 622q,623-l,685e; in obst. 551m
RIBS, 665b
RICKETS, 556k
RICKETTSIA, 645v
RICKETTSIAL DISEASES, 529q,666j; in U. S. 584x; ther. 587p,719v
RINDERPEST, vaccination 672e
RINGWORM, 719k; etiol. & pathog. 515j; in Algeria 630d; in N. Y. 594q
ROCKY MOUNTAIN SPOTTED FEVER, 529q; diag. 706a; prev. 508i
ROENTGEN RAYS, apparatus 723-l; diag. 576s; eff. 543q,573j,573q,658t,722w; fluoroscopy 658p; inj. eff. 574n,575p,721n,721u,723a,723b,723h; physics 659n; protection against 723i; technic 614u,723j
ROENTGENOLOGY, 598t; in N. J. 692s
ROTTLERIN, 678n
RUBELLA, 712w; compl. & seq. 650-l; prev. 614e
RURAL CONDITIONS, 546t
RUSSIAN SOCIAL REVOLUTION, 556r
RUTIN, 541q
SACCHARIDES, 506a,507i,598s,624e
SACROCOCCYGEAL REGION, tumors 529-l,662e, 696t
SACRUM, tumors 699j
ST. BARTHOLOMEW'S HOSPITAL, LONDON, hist. 538o
SAINT LUKE, 521c
SALICYL COMPOUNDS, 516s,553h,618o; acetylsalicylic acid 541u; eff. 709u; sodium salicylate 530v
SALIVARY DUCTS, roent. 606w
SALIVARY GLANDS, roent. 621t; tumors 604q
SALMONELLA, 507f,719f,719g; infect. 534v,671e; memphis 506j; pullorum 718n,718o; schottmülleri 703q; typhimurium 507c
SALVIA, 626m
SANITARY NAPKIN, 545t
SANTONIN, 713h
SARCOIDOSIS, 541n,593b,607v,644r,650j,658u,694j, 701c,721c; etiol. & pathogen. 719e; ther. 540u
SARCOMA, 549b,587b,602m,639-l; exper. 507v; fibromyosarcoma 634t; Kaposis 676p; lymphatic 550h; lymphosarcoma 648a,650g,662c,663t,721h; melanosarcoma 723q; metastases 551b; myosarcoma 516t,537g,677g,677h,702u; myxosarcoma 727m; osteogenic 648s; reticulosarcoma 606-l, 710-l
SARGENT TEST, 555j
SCAPULA, 721p
SCARLET FEVER, 610b
SCHISTOSOMA, 561r,581j
SCHISTOSOMIASIS, 561q,581n; diag. 727v; in Philippine Islands 590v; ther. 634c,720d
SCHOOL OF AVIATION MEDICINE, 673n
SCHOOLS, health education 613t; health serv. 584q; medical serv. 701w; special schools & classes 546s,557k
SCHOOLS, MEDICAL, 673n
SCIATICA, 587-l,707h; etiol. & pathogen. 509j
SCIENCE, 539u,600d; hist. 544k,578h
SCISSORS, 650i
SCLERODERMA, 646t
SCLEROSIS, multiple 547j,556p,648p; tuberous 700u
SCOLAUDOL, 666b
SCOPOLAMINE, 539f
SCORPIONS, 630f
SCROTUM, abnorm. 700d; surg. 559o
SCRUB TYPHUS, 589p
SEASONS, 702a
SEBACEOUS GLANDS, tumors 694i
SELF-MUTILATION, 668t
SEMEN, 627i
SEMILUNAR CARTILAGES, surg. 526j
SENSES, sixth 606u
SEPTICEMIA, 524s,696v,699n; mortal. 700m
SEPTUM, abscess 606e
SEPTUM PELLUCIDUM, 658g
SERODIAGNOSIS, 523a,696w
SEROTHERAPY AND HEMOTHERAPY, 536t; autogenous 546h
SERUM, 505u,579s,618j,623o,638k,684s; antireticular cytotoxic 584k; immune 711v

SESAME, 519e
SEWAGE, disposal & purification 614b ,657u
SEX, 563g,620a,688t; characters 505d; determ. 573t; perversion 656i; ratio 574t,575e,576o
SHEEP, 563f,671k,671-l; breeding 544o; feeds & feeding 671h,671i,671j
SHOCK, 607p,716n; surg. 526n,628d,662j; ther. 611i, 634q,692n,718g; therapeutic 645r,706u; traum. 710m
SHOULDER, disloc. 661g,661j,662e
SIDEROSIS, 596n
SIGMOID, 724j; abnorm. 724r; cancer 523a,527l, 699d; diverticula 590e; exam. 645i,723q,724e; roent 724b
SILVER, nitrate 647b
SIMPSON, SIR JAMES YOUNG (1811-1870), 636f
SINUNES, NASAL, 709t; dis. 585f,629k,651r; roent. 723k
SJÖRGEN'S DISEASE, 651p
SKIING, 556g
SKIN, 619d,702d; anatomy & histology 622q; cancer 566e,570v,585v,635e,643h,662u,669m,676s; chem. 622q; dis. 524b,537o,541p,622s,637k,694k,694n; reactions 622m,641p,722w; temperature 554r, 663i; transpl. 584u,587h,662u,663h,664p,724k, 726d; tuberculosis & tuberculids 523n,617k,633-l, 638-l,683j; tumors 515p,622u,683j
SLAUGHTERING AND SLAUGHTERHOUSES, 658b
SLEEP, 594c; dis. 643i
SMALLPOX, epidemiol. & statist. 657p; vaccination 594t
SNAILS, 599k,672j
SNAKES, 553k,666k
SNORING, 642j
SOAPS, tox. 687r
SOCIAL HYGIENE, 647o,728r
SOCIAL SECURITY, 604f
SOCIAL SERVICE, 581d,657w,688s,688t,688v; in France 581f; in Italy 581e,688s
SOCIETÀ UMANITARIA DI MILANO, 688p
SOCIETIES, MEDICAL, 542p,695i
SODIUM, 576d; chloride 611i; in diet 624b; metab. 582w,600f
SODIUM CARBOXYMETHYLCELLULOSE, 516j
SODIUM PENTACHLORPHENATE, 599q
SOIL, 532r,569-l,569m,600k
SOLUTIONS, 513p,679w,680b,680c; chem. 680e, 680g
SOUNDS, perception 613h
SOYBEANS, 552o,684k
SPASM, 698r; ther. 607j,632t
SPECIALISM, 694q
SPECTROMETERS, 548-l,620k
SPECTROPHOTOMETERS, 508q
SPECTRUM ANALYSIS, 548r,548t,704q,705k
SPECULUM, ophthalmic 604s
SPEECH, 550f; defects 542f,547a,550k,550-l,555q, 607n,652d; train. 550n
SPERMATIC CORD, torsion 728-l
SPERMATOZOA, 574b,670m,704t
SPHENOID BONE, abscess 550g
SPHENOID SINUSES, dis. 607e
SPHINCTER, anal 727k
SPHINCTER MUSCLES, gastrointestinal 675i; tumors 723s; urethral 559s,726m
SPHYGMOMANOMETERS, 545s
SPIDERS, bites 720e
SPINA BIFIDA, 593d
SPINAL CANAL ROENTGENOGRAPHY, 721h
SPINAL CORD, 592j; physiol. 612q,649j,715v,716c, 716g; tumors 509j; wds. & inj. 698r
SPINAL PUNCTURE, 509d,610i
SPINE, abnorm. 521m; arthritis 634w; curvature 665t,698u,721r; dis. 661-l; disloc. 537g,659w; fract. 661m; intervertebral disks 509l,634m, 647k,695c,696k,724r; physiol. 509n; roent. 722n; tuberculosis 551s; tumors 660v
SPIROCHAETA PALLIDA, 506r,571d
SPIROCHETOSIS, 588r; icterohemorrhagic 581v, 670v
SPLEEN, 551a; abnorm. 652o; anat. & histol. 551c; blood in 710f; cysts 724w; echinococcosis 536-l; pathol. 608a,722q; rupt. 662q; surg. 592n; tumors 676r
SPLENECTOMY, 536-l,662q
SPLENOMEGALY, 617f,689f
SPLINTS, 509n,647d,647e
SPRUE, in inf. & child. 541o
SPUTUM, 690f
SQUILL, tox. 657s
SQUIRRELS, 672u
STAINS AND STAINING, 506m,619k,710k; methods 515u,515v,515w,516a,516b,516c,516d,544v
STAPHYLOCOCCI, 562q; aureus 505q,505s,505t, 592g,633d,638j; culture 598v,630r; infect. 524s, 568e,696v; toxoid 608e
STARCH, 566u
STARVATION, 554t,555j,649m,711d
STATISTICS, 538b
STENTOR, 672o
STERILITY, 563o,592u,670s,687e,701b,727d; etiol. & pathogen. 575b; in female 575w; ther. 551k, 721j
STERNAL PUNCTURE, 628r
STERNUM, fract. 509i
STEROIDS, 567o,679a
STEROSAN, 643q
STEVENS-JOHNSON DISEASE, 712e
STIMULATION AND STIMULI, 649e
STOMACH, 635e; abnorm. 571u; acidity 642d; bact. 587o,667n; cancer 527e,536c,540h,585j, 587o,624-l,624m,624n,642d,658f,663t,664k,665c, 685j,696c,700t,708t,721v; cardiospasm 595r, 664p; dilatation & distension 665d; dis. 531q, 534g,572a,634r,721t; diverticula 659v; exam. 525q; hemorrh. 594m; inflamm. 516v,572e; motility 614s; physiol. 571s,625c; secretion 507w,571t,661t,713t; surg. 530f,571m,595h,632t, 635g,639g,659w,700k,726r; syphilis 571q; tumors 516t,537h,587b,632m,664e,665f,685k; wds. & inj. 726k
STOMATITIS, 531r,622a; aphthous 672b; parasitic 672b,672c
STRABISMUS, surg. ther. 650j; ther. 597d
STRATIGRAPHY, 722k,722m
STRAWBERRIES, 519g
STREPTOCOCCI, 584b,599a; culture 507a,630r; hemolytic 552d,564s; infections 651w
STREPTOMYCIN, 506d,543a,559a,582j,611e,633-l, 638q,645r,647g,667r; admin. & dos. 634b,675q; eff. 583j; in urine 592k; prod. 506n,566j; ther. 533i,644j,647h,690d
STREPTOTHRICIN, 647v
STROPHANTHUS AND STROPHANTHUS PREPARATIONS, 526c,565n
STRYCHNINE, 714e
SUBJECT HEADINGS, med. 600e
SUBMAXILLARY GLAND, tumors 727m
SUBSTANCE DE ORIEL, 641n
SUCROSE, 678w
SUFFOCATION, 638m,695b
SUGARS, 647r,715b; eff. 516v
SULFATHIAZOLE, 714t
SULFETRONE, 611c,611d,611e
SULFIDES, prep. 679u
SULFONAMIDES, 515f,524m,529t,553f,638o,655-l, 668v,678m,691w; admin. & dos. 646e; eff. 506i, 577r,583q,633u,637k,695e,715f; in inf. & child. 640h; ther. 576v,577k

SULFONATES, 679-l
SULFUR, 511m; radioactive 705i
SULFUR AND SULFUR COMPOUNDS, 566w,567a, 567b,567c,567d
SURGEONS, 725n
SURGERY, 533o,591n,629u,661g,726p; educ. & train. 663v; in France 587h; in Russia 558b,725e; in Sweden 543f; in U.S. 586s; operating rooms 578s, 604e; plastic 532p,549c,594o,638m,663e,726h; postop. care 576i,622e,641t,645n,723s,724-l,727h; postop. compl. 585u,662j; preop. care 585n, 628a; teaching 558k,663-l,663r
SUSPENSIONS, 679w,680b
SUTURES, 591a,591b,606h,629r,693u,724n
SWEAT, 662h
SWEAT GLANDS, dis. 570o; physiol. 716q
SYCOSIS, ther. 570r
SYMPATHECTOMY, 508u,646g,669f,694r,727j; perihumeral 537t
SYMPHSIS PUBIS, 518f
SYNCOPE, 532w,603j
SYNOVIAL MEMBRANE, tumors 523q
SYPHILIS, 523s,536g,543j,544h,581w,605v,690r, 694g; compl. & seq. 534o; congen. 570q,591g, 614s,711o; epidemiol. & statist. 700v; etiol. & pathogen. 622h; exper. 669w; Herxheimer reaction 583d; hist. 670d; in Fr. Guiana 550r; in inf. & child. 609k,712t; pathol. 622p; pregn. & syphilis 687c; serodiag. 639e,639f,652j,652k, 652-l,652m,652n,653j,692j,701-l,702-l,719c; tertiary 528r; ther. 506q,523k,589d,589v,644g, 693v,694f,700v; tuberculosis & syphilis 622m
SYRINGE, 545t
SYRINGOMELIA, compl. & seq. 694k
SYZYGIUM JAMBOLANUM, 655g
SZILARD-CHALMERS REACTION, 620u

TABES DORSALIS, 544b,621f; ther. 596k
TACHYCARDIA, paroxysmal 696-l
TAPEWORM INFECTION, 562i,653o
TASTE, 608p,606q
TEETH, 515b,682-l; absence 621b; amalgam fillings 570a; caries 574e,614a,621q,624a,640u, 682e,682p,682v,683f,684j; cement 682u; crowns 569g,621j; develop. 620w,680v,683d; dis. 514n, 515f,569t,621o,681j,682s; enamel 569w,683c; extraction 622c,622f; impacted 569v,621p,621q, 621r; impression 621k,681t,683a; inj. 521v; innerv. 569u; malocclusion 681v; occlusion 570b,621k; prosthesis 514n,621a,621-l,621m, 680t,681n,683e; reimplantation 682n; retention 681k; roent. 621e,723g; roots 570e,621b,681-l; tumors 514-l
TELANGIECTASIS, 689i,690-l
TELEPATHY, 603f
TELESIO, BERNARDINO (1509-1588), 521a
TEMPERATURE, 573q; eff. 511k,531-l,563j,641a
TEMPERATURE, BODY, 555d,626g,654w,663i, 695g,697i
TEMPORAL BONE, dis. 651u; fract. 607m; roent. 615a; tumors 550a
TENDINOSE, 665j
TENDONS, rupt. 661v; sheaths 721s
TESTES, abnorm. 527a; torsion 726f,728h; tumors 668t,669g,677h; undescended 536p
TESTS, 657a
TETANUS, 607j,609r,696d; exper. 675a,675b; immunity 654g; ther. 534h; toxin 507d,513i,579t; toxoid 522p
TETANY, 525a; compl. & seq. 650m; parathyroid 580h; postop. 529a
TETRABORATES, 647r
TETRAETHYL AMMONIUM CHLORIDE, 522s, 713p
TETRAZOLES, 715b,715c
THALLIUM, tox. 515k,537u,687q,694j
THEOPHYLLINE, tox. 589e
THEPHORIN, 714p
THERAPEUTICS, 701f
THESAURISMOSIS, 643g
THIAMINE HYDROCHLORIDE, 698n; defic. 509w, 510a,623k,631u; eff. 610s,623-l,684-l; in obst. 551m
THIANAPHTHENE, 567f,567g
THIAZOLES, 630v,698e; tox. 525e
THINKING, 635d
THIOCHROME, 623p
THIOCYANATES, ther. 644k
THIOUREA, 505d,535m,573n,584g,698e; eff. 585o, 631o,699o
THORAX, calcification 616-l; dis. 641e; surg. 666w; wds. & inj. 615u,662f
THORIUM, 620e; dioxide 583e
THROAT, 550b,723h; dis. 651s
THROMBOANGIITIS, obliterans 536k,644m,700f
THROMBOPHLEBITIS, 660b; ther. 644m
THROMBOSIS, 530d,607a,617q,707i; aortic 617r, 660e; arterial 523p; coronary 532v,564s,677t; mesenteric 723p; portal 556m; prev. 628a; renal 559f; sinus 537d,607a,664w; ther. 535v
THYMINE, 566b
THYMUS, 563n,598k; cancer 583d; irradiation 691j
THYROGLOBULIN, 626b
THYROID, 508k,530g,535m,714v; anat. 711c; cancer 664-l; dis. 644-l; eff. of drugs on 710i; eff. of removal 702k; hyperthyroidism 587w,588c, 595p,617d,627s,640h,646q,683s,696m,698i,699o; hypothyroidism 518h,583a; physiol. 512r,518e, 554o,585k,721-l; surg. 696f; ther. 677-l; tumors 660i
THYROXIN, 598q,625k
TIBIA, abscess 632v; fract. 644u,646n,661k,664q
TIC, 591n
TICK FEVERS, 657h
TICKS, 561t,561v,563h,608e,719u
TIERRA DEL FUAGO, 598f
TINNITUS, aurium 606f
TISSUE, 545s; antagonism 509e; culture 508a, 509t,509v,579i,598j,705j; chem. 711e; extracts 612s,675v; transplantation 596b
TOADS, 672k
TOBACCO, 579r,720k
TOMATINE, crystalline 566k
TOMATOES, 516k
TOMOGRAPHY, 558p
TONES, perception 657c
TONGUE, paralysis 696f; tumors 660i
TONSILLECTOME, 601b
TONSILLITIS, 607a
TONSILS, 606h; cancer 634u; for. bod. 550b; hemorrh. 651p; infect. 592m,722s; surg. 586p; tuberculosis 605w
TOUAT, 630j
TOXIN AND ANTITOXIN, 648c,689r
TOXOPLASMA, 507m,508n
TRACERS, radioactive 513c,514c,514e,680e,680g
TRACHEA, 587t; dis. 522e; obstruction 641s; surg. 709s; tuberculosis 616c
TRACHEOTOMY, 651j
TRACHOMA, ther. 548e
TRANSPLANTATION, 596b,642a,676e
TRAUMA, 521n,643u; hist. 725o
TRAVEL, 613q
TREMATODES, 550s,561o,561p,637-l
TRICHINA, 560w
TRICHINOSIS, compl. & seq. 698s
TRICHLOROETHYLENE, 585d,681g
TRICHOMONAS, 505u,675q

TRICHOPHYTOSIS, 694m
TRIDIONE, 611r
TRIPLER HOSPITAL, 629q
TROMBIDIUM, 562h
TROPICAL DISEASES, diag. 666m
TROPICAL MEDICINE, 691h,703-1
TROPICS, 643q
TRYPANOSOMA, 508-1,580b,611b,631n
TRYPANOSOMIASIS, 581w; in animals 562a
TRYPSIN, 684k
TRYPTOPHANE, metab. 573v
TSETSE FLY, 728u
TSUTSUGAMUSHI DISEASE, 589p
TUBERCLE BACILLI, 667n,685b; culture 710e, 718-1
TUBERCULIN, 551p
TUBERCULOSIS, 515b,531g,555-1,556v,558q,558v, 559a,579m,581t,584i,592o,615n,633g,684v,689o, 698m,700q,702a; allergy in 683k; antigens & antibodies 579g; bovine 608e,667p,667s; Calmette-Guérin immunization 526v,632r,636o,636v,638d, 645q; compl. & seq. 588i; congen. 667o,712h; diag. 525r,634i,693b; econ. & soc. aspects 667f, 667h; epidem. & statis. 525s,667-1; etiol. & pathogen. 603t; exper. 669v; hered. 637u; in inf. & child. 526-1,610f,610j,614i,643k,701h,712p; in Germany 584v; in Minn. 616h; in soldiers & veterans 541o,616c; indust. & traum. 531g,667k, 667-1; ment. aspects 580w,667m; miliary 609g, 618m; osteoarthritic 558h; pregnancy and tuberculosis 690k; prev. & control 523g,533c,556w, 558s,581c,593v,594f,616f,667d,667e,667i,667j; preventoriums 526t,667g; ther. 539r,542m,559a, 611c,611e,616b,634k,641u,667r,667v,695g,701t, 725c; tuberculin reaction 539m,540c,608n,667s
TUBERCULOSIS, PULMONARY, 551e,614t,636j, 636k,667a,667c,701o,711w,728d; artif. pneumothorax in 667b; cavitation in 532m,558r,666f, 728c; compl. & seq. 628m; diag. 523u,595v; in inf. & child. 532m,654a,697n,702i; pathol. 647c; roent. 531a,558u,722k; surg. ther. 529t, 536t,558j,595d,615v,660c,695o; ther. 531e,611d, 637t,639o,695p
TUBERCULOUS LARYNGITIS, 596p
TULAREMIA, 630q,699b; in France 693h
TUMORS, 550c,591m,607f,639a; adenoma 560a, 625f,636q,660a; adenomyoma 662k; angiofibroma 724q; angioma 515h,546h,560e,616n,623d,650k, 712g,722e; astrocytoma 602a,706q; benign 519q; cholesteatoma 606t; chondroma 709r; chordoma 724n; cystadenoma 536p; dermoid 532s,662b; diag. 677i; epidermoid 550a; epithelioma 585v, 622u,623d,624o,667w,709w; etiol. & pathogen. 563u; exper. 509r; fibroadenoma 529m; ganglioneuroma 703p; gaint cell 662r; glioma 537c; granulosa cell 705m; hamartoma 515p; hypernephroma 607c; lipoma 638k,699j,711e; lymphoma 534p,671a; lymphosarcoma 721h; medulloblastoma 712h; melanoma 537-1,650k; mesodermal 660i; metastases 559g,616u,641e,668j, 703m; myeloma 525b,529n,615c; myoma 650l, 723s; myxoma 626v; neurinoma 709t; neuroblastoma 697k; neurofibroma 509j; oil 690o; papilloma 570p,609m,676f; pheochromocytoma 661r; plasmoma 643v; prev. 619h; radiother. 538i,583c,722i; sarcoid 709k; teratoma 539-1, 622e,696t,703k; ther. 693p; tuberculoma 652f
TWINS, 563b
TYPHOID, 588f,635m; carriers 613r; compl. & seq. 588d,696d,701c; in inf. & child. 610h,711n; ther. 695e
TYPHUS, 544d,619h,635-1; compl. & seq. 635k; epidemiol. & statist. 540w; immun. 619-1,623j; prev. 508i,720m; ther. 697e,720m
TYROSINE AND TYROSINE COMPOUNDS, 508g, 598q; metab. 512f
UDDERS, growth 713d; wds. & inj. 713d
ULCERS, 520f; ther. 528t,537k; tropical 727u
ULTRAVIOLET RAYS, 568n; eff. 722u; ther. 573g, 625e
UMBILICAL CORD, rupt. 523s
UNDULANT FEVER, 636s,690e; ther. 590j,699h
UNITED STATES ARMY MEDICAL DEPARTMENT, 597v
UNITED STATES PUBLIC HEALTH SERVICE, 647j
UNIVERSITIES, 718a; health serv. 589t,720h
URACIL, 566b
URANIUM, 578g; determ. 511m
UREA, 671j
UREASE, 646h
UREMIA, 530s,580m; exper. 583j; ther. 590n
URETERS, abnorm. 559m,560a,560c,594u,687f; calculi 660h,668a,668e; cancer 667w,728i; obstruct. 664m; physiol. 668g; surg. 530q,536m, 559u,592f,627d,647a; tumors 559g,559j; wds. & inj. 669d
URETHRA, abnorm. 577h; calculi 616t; dis. 559i, 726s; diverticula 597c,654k; inflamm. 559h,609s; obstruct. 697-1; physiol. 508i; prolapse 687d; strict. 668r,669i; surg. 559n; tumors 636q,710-1
URIC ACID, 511o,511q
URINAL, 705u
URINARY TRACT, abnorm. 588t,642p; dis. 559v, 701j; infect. 529h,559m
URINATION, disord. 654k,669q,728k,728m; incontinence 616q,641d,712q
URINE, 538v,539p,573k,586r,635j,684s; alcohols 554n; Bence Jones protein 674g; chem. 516s, 583j,592o,610v; creatine & creatinine 674u; exam. 683q; fats & lipoids 618k; formic acid 654s; lead 521q; porphyrin & porphyrin compounds 631e,719o; pregnanediol 625o,625s,625t, 692g; preservation 600b; steroids 625p,625q, 625s,689n; streptomycin 572k,592k; sugar 528n, 552h; suppression 668g,675o,697f; urobilin 635u
UROBILINOGEN, 635u
UROFLOMETER, 668v
UROLOGY, 533b; appar. 600b; instruments 559i
URTICARIA, 570n,641-1; etiol. & pathogen. 595n; haemorrhagica 570p; pigmentosa 571b
UTERUS, abnorm. 519p,686j,693k,693-1; cancer 527o,535u,538j,563s,563v,576b,576-1,577o,577p, 577w,587s,594b,619k,628d,658m,659f,677c,687h; cervix 519o,693o; displacement 593u; echinococcosis 596d; excis. 575v,626u,645n,686m,687f; fibroma 662c; fixation 686r; hydatiform mole 594s,701m; innerv. 627n; inversion 519t,701r; physiol. 554s,715a; roent. 577q; surg. 637v; tuberculosis 627k; tumors 577f,685v
UVEA, cancer 650d; inflamm. 709j
VAGINA, 587i; abnorm. 637r; absence 589b; bact. 674-1; mucosa 675q; physiol. 576c; secretion 576b; surg. 575v; tumors 576k
VAGOTOMY, 522o,531o,595i,628c,636g,637b
VALSALVA, ANTONIO, (1666-1723), 606d
Van den VERGH'S TEST, 704n
VANADIUM, 678g
VARIATION, 575c,657a
VARICOCELE, surg. ther. 523e,587n
VARICOSE VEINS, 587s,693s,699r; diag. 660o; ther. 542b,640t,664r,724m
VARON, 687-1
VAS DEFERENS, abnorm. 559t
VASOMOTOR SYSTEM, 713r; dis. 525p,627w
VATER'S AMPULLA, cancer 665d
VEINS, anastomosis 659v,694c; jugular 607a; pulmonary 615r; retinal 604p

VENAE CAVAE, 640w,662i
VENEREAL DISEASES, 728q,728s; in Belgium 560k; in Conn. 613w; in Czechoslovakia 560k; in Denmark 560j; in France 560j; in Germany 560m; in Panama 614k; legislation 670d; prev. & control 551-1,557m,560i,560-1,614-1,669t,669u, 670c,699s
VENOM, eff. 622n
VERRUCA, 530v,592p,638p
VERTEBRATES, cold-blooded 619f
VERTIGO, aural 644j,690j; laryngeal 550b
VETERANS ADMINISTRATION (U. S.), 580v
VETERINARY MEDICINE, 560s,670r,671c; military 670s; progr. 670q
VIBURNUM, 655s
VIRCHOW, RUDOLF (1821-1902), 710q
VIRCHOWS ARCHIV, 710p
VIRUSES, 569i,589g,589h,671a,675f,719d; dis. 569j, 587p,592d,625e,663n,666j,670q,670t,691o,695t, 728v; eff. of irradiation on 658r
VISCERA, displacement 585t; transposition 526c, 565g
VISION, 548m,548n,548o,651b,651f,716m; acuity 656-1; defective 650w; field of 604u; physiol. 542d,605f; tests 604t
VITAL CAPACITY, 702q
VITAL STATISTICS, birth rate 519g,539f; morbidity 719t; mortal. 521o,551i,646k,718k; registration 657n
VITALITY, 646m
VITALLIUM, 726f
VITAMINS, 533o,534d,542p,574k,623o,625b,675m, 694w,697f; A 513b,516f,622t,623h,623m,652u, 671m,671n,704u; B 522s,528e,556v,592a,598c, 618o,623f,623h,636r,638d,648d,655h,671o,675-1, 684h,705j; D 508r,549r,641b,675c,688b,694v, 698j; E 537n,586v; K 677o
VITREOUS HUMOR, 644d,709b,709i
VOCATION 717r; guidance 556a; tests 600p
VOICE, 505n
VOLTMETER, 545-1
VOMITING, 711k,711-1; in inf. & child. 595f,654b
VULVA,edema 633f; inflamm. 616s; tumors 519o, 626v
VULVOVAGINITIS, 683n
WAR, 637h; dis. 577b,577c,720m; med. serv. 544a; nutrition & food supply 633g; prison & internment camps 707k,707-1,708m; psychologic & psychiatric aspects 656g; pub. health aspects 552k
WASSERMANN REACTION, technic 720q
WATER, containers 611w; in Cayenne 581u; mineral 523h,535-1; purification 556n; supply 614b, 657j,658c
WHALES, 598i
WHOOPING COUGH, 711w; compl. & seq. 546n
WILMS'S TUMOR, 668k
WINE, 533k
WIREWORM, 563k
WOLFF-PARKINSON-WHITE SYNDROME, 594k
WORK, 717v
WORKMEN'S COMPENSATION AND INSURANCE, 518-1,518r; in Gt. Brit. 581g
WORLD HEALTH ORGANIZATION, 557e,557f,557g, 557h,613u
WOUNDED AND SICK, transportation 614g,705v, 706a
WOUNDS, 664u; gunshot 635i,649a,725j,727j; healing 552n; ther. 632b
WRIST, dis. 635p; fract. 658t
XANTHOPTERIN, 555a,555b
XYLENE, 680i
XYLENOL, 679-1
XYLOSE, 586h
YAMS, 511j
YEAST, 513j
YOLOXOCHITL, 510v
ZEOLITE, 678s
ZINC, 551m; sulphide 548-1

☆ U. S. GOVERNMENT PRINTING OFFICE: O—1949 801530

a;

b,

,

7g,

al-